

Sample Site	Sample Date	Sample Depth	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis										In Situ										Notes													
					Dissolved MeHg (mg/L)	Total MeHg (mg/L)	Low level THg (Flett) (mg/L)	Low Level THg (mg/L)	Low Level DHg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia N (mg/L)	Total Kjeldahl Nitrogen as N (mg/L)	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorus as P (mg/L)	Methylmercury (Low Level) (mg/L)	Total Phosphorus (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity (uS/cm)		pH	Total Dissolved Solids (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)					
N5	6-Apr-17	Surface		RDL	0.01*	0.01*	0.05	<0.000019		0.0000025	2	0.05	0.03	0.4	0.05	0.05	0.11	0.002	0.5	0.03	0.1	0.03	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)
N6	6-Apr-17	Surface		17X20307	0.014	0.017	<0.000019	<0.000019	<2	<0.05	<0.03	0.8	0.06	<0.05	0.21	0.11	0.16	4.0	4.2	12	13.6	12.4	0.00	-0.11	14	12.66	7.87	0.0091	0.00	-0.11	14	12.66	7.87	0.0091	0.0113			
N7	6-Apr-17	Surface		17X20307	0.011	0.014	<0.000019	<0.000019	<2	<0.05	<0.03	0.4	0.08	<0.05	0.16	0.11	0.16	4.1	4.0	88	16.9	12.2	0.00	-0.11	18	12.54	7.8	0.0117	0.00	-0.11	18	12.54	7.8	0.0117	0.0117			
N8	7-Apr-17	Surface		17X20398	0.013	0.018	<0.000019	<0.000019	17	<0.05	<0.03	0.5	<0.05	<0.05	0.19	0.11	0.16	4.1	3.8	7	7.7	10.9	0.19	-0.13	387	12.6	7.92	0.2474	0.01	-0.13	387	12.6	7.92	0.2474	0.2474			
N8	7-Apr-17	Halocline		17X20398	0.010	0.016	<0.000019	<0.000019	61	<0.05	<0.03	1.1	<0.05	<0.05	0.37	0.40	0.40	4.0	4.0	5	8.9	11.5	0.56	-0.14	1038	12.68	7.51	0.668	0.01	-0.14	1038	12.68	7.51	0.668	0.668			
N9	7-Apr-17	Surface		17X20398	0.013	0.019	<0.000019	<0.000019	766	<0.05	<0.03	0.5	<0.05	<0.05	0.19	0.51	0.56	4.0	4.6	8	6.7	11.6	0.51	-0.07	2606	12.24	7.56	1.549	0.01	-0.07	2606	12.24	7.56	1.549	1.549			
N9	7-Apr-17	Halocline		17X20398	0.010	0.010	<0.000019	<0.000019	766	<0.05	<0.03	0.5	<0.05	<0.05	0.04	4.0	3.5	7	4.4	11.7	7	4.4	11.7	5.43	0.39	9618	11.5	7.04	6.153	0.01	0.39	9618	11.5	7.04	6.153	6.153	Nitrate/Nitrite MDL = 5.0 mg/L	
N11	11-Apr-17	Surface		17X204687	0.010	0.019	<0.000019	<0.000019	<2	<0.05	<0.03	0.8	<0.05	<0.05	0.14	3.9	4.1	<5	1.1	11.6	4.1	11.6	0.01	3.66	44	16.02	8.66	0.027	0.01	3.66	44	16.02	8.66	0.027	0.027			
N4	11-Apr-17	Surface		17X204687	0.040	0.076	<0.000019	<0.000019	<2	<0.05	0.04	1.7	0.09	<0.05	0.09	4.1	3.7	<5	3.4	12.3	4.1	12.3	0.01	-0.08	20	13.58	7.27	0.013	0.01	-0.08	20	13.58	7.27	0.013	0.013			
N4	11-Apr-17	Mid		17X204687	0.012	0.022	<0.000019	<0.000019	<2	<0.05	<0.03	2.4	0.07	<0.05	0.15	4.1	4.2	<5	5.1	11.4	4.1	11.4	0.01	-0.08	20	13.56	7.29	0.013	0.01	-0.08	20	13.56	7.29	0.013	0.013			
N4	11-Apr-17	Bottom		17X204687	0.011	0.017	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.13	4.2	4.3	<5	5.0	11.5	4.2	11.5	0.01	-0.07	19	20.22	7.97	0.013	0.01	-0.07	19	20.22	7.97	0.013	0.013			
N5	11-Apr-17	Surface		17X204687	0.020	0.037	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3.4	3.3	67	40.2	12.5	3.4	12.5	0.01	-0.07	20	19.55	7.96	0.013	0.01	-0.07	20	19.55	7.96	0.013	0.013			
N6	11-Apr-17	Surface		17X204687	0.013	0.019	<0.000019	<0.000019	<2	<0.05	<0.03	0.4	<0.05	<0.05	<0.13	3.9	3.8	<5	5.8	12.2	3.9	12.2	0.01	-0.10	23	11.72	8.47	0.013	0.01	-0.10	23	11.72	8.47	0.013	0.013			
N7	11-Apr-17	Surface		17X204687	0.021	0.036	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.04	3.5	3.4	14	11.6	12.2	3.5	12.2	0.01	-0.09	22	11.33	7.66	0.014	0.01	-0.09	22	11.33	7.66	0.014	0.014			
N10	12-Apr-17	Surface		17X205156	<MDL	<MDL	<0.000019	<0.000019	65	<0.05	<0.03	1.2	<0.05	<0.05	<0.03	5.7	5.5	<5	4.4	11.4	5.7	11.4	0.82	-0.11	1659	16.25	7.95	1.077	0.01	-0.11	1659	16.25	7.95	1.077	1.077			
N10	12-Apr-17	Halocline		17X205156	<MDL	<MDL	<0.000019	<0.000019	1060	<0.05	<0.03	0.6	<0.05	<0.05	0.2	3.0	2.3	<5	1.3	11.4	3.0	11.4	14.66	0.84	24740	12.53	7.31	16.2	0.01	0.84	24740	12.53	7.31	16.2	16.2			
N11	12-Apr-17	Surface		17X205156	<MDL	<MDL	<0.000019	<0.000019	80	<0.05	<0.03	0.9	<0.05	<0.05	<0.03	4.5	5.0	<5	6.3	12.1	4.5	12.1	0.95	-0.12	1905	18.45	8.21	1.238	0.01	-0.12	1905	18.45	8.21	1.238	1.238			
N11	12-Apr-17	Halocline		17X205156	<MDL	<MDL	<0.000019	<0.000019	740	<0.05	<0.03	0.8	<0.05	<0.05	<0.03	3.5	3.6	<5	3.6	11.2	3.5	11.2	16.44	1.31	27653	11.9	7.46	18.01	0.01	1.31	27653	11.9	7.46	18.01	18.01			
N12	12-Apr-17	Surface		17X205156	0.011	0.011	<0.000019	<0.000019	105	<0.05	<0.03	1.1	<0.05	<0.05	0.15	5.2	5.1	<5	4.4	11.8	5.2	11.8	1.25	-0.12	2483	19.78	8.14	1.615	0.01	-0.12	2483	19.78	8.14	1.615	1.615			
N12	12-Apr-17	Halocline		17X205156	<MDL	<MDL	<0.000019	<0.000019	1090	<0.05	<0.03	1.1	<0.05	<0.05	<0.03	2.4	2.4	<5	2.6	10.9	2.4	10.9	20.64	1.65	33965	13.11	7.57	22.08	0.01	1.65	33965	13.11	7.57	22.08	22.08			
N13	12-Apr-17	Surface		17X205156	<MDL	<MDL	<0.000019	<0.000019	1840	<0.05	<0.03	0.9	<0.05	<0.05	<0.03	4.6	4.4	11	11.2	23.0	4.6	11.2	0.12	-0.08	38518	16.52	7.64	0.165	0.01	-0.08	38518	16.52	7.64	0.165	0.165	Nitrate/Nitrite MDL = 5.0 mg/L		
N8	12-Apr-17	Surface		17X205156	<MDL	<MDL	<0.000019	<0.000019	9	<0.05	<0.03	<0.4	<0.05	<0.05	0.08	4.4	4.2	11	20.5	12.5	4.4	12.5	0.12	-0.08	251	16.69	8.34	0.165	0.01	-0.08	251	16.69	8.34	0.165	0.165			
N8	12-Apr-17	Halocline		17X205156	<MDL	<MDL	<0.000019	<0.000019	133	<0.05	<0.03	<0.4	0.12	<0.05	<0.03	4.6	4.5	<5	6.0	12.1	4.6	12.1	9.01	1.02	16580	13.22	7.22	10.32	0.01	1.02	16580	13.22	7.22	10.32	10.32			
N9	12-Apr-17	Surface		17X205156	0.017	0.051	<0.000019	<0.000019	68	<0.05	<0.03	0.6	0.06	<0.05	0.19	2.9	2.8	<5	1.7	12.2	2.9	12.2	1.76	-0.07	3443	16.85	7.72	2.237	0.01	-0.07	3443	16.85	7.72	2.237	2.237			
N9	12-Apr-17	Halocline		17X205156	<MDL	<MDL	<0.000019	<0.000019	985	<0.05	<0.03	0.4	<0.05	<0.05	0.2	10.2	6.3	8	3.2	11.9	10.2	11.9	12.97	1.08	22198	12.81	7.24	14.44	0.01	1.08	22198	12.81	7.24	14.44	14.44			
N1	18-Apr-17	Surface		17X206489	0.010	0.015	<0.000019	<0.000019	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.5	4.4	<3	0.6	12.2	4.5	12.2	0.00	-0.04	21	16.2	7.42	0.014	0.00	-0.04	21	16.2	7.42	0.014	0.014	TSS MDL = 3.0mg/L		
N10	18-Apr-17	Surface		17X206489	<MDL	<MDL	<0.000019	<0.000019	61	<0.05	<0.03	0.6	<0.05	<0.05	<0.03	5.4	5.1	<3	5.5	12.9	5.4	12.9	0.55	-0.17	1134	11.02	7.7	0.399	0.01	-0.17	1134	11.02	7.7	0.399	0.399	TSS MDL = 3.0mg/L		
N10	18-Apr-17	Halocline		17X206489	<MDL	<MDL	<0.000019	<0.000019	67	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.6	4.4	4	1.8	12.3	4.6	12.3	1.16	-0.16	29874	9.93	7.54	19.35	0.01	-0.16	29874	9.93	7.54	19.35	19.35	TSS MDL = 3.0mg/L		
N11	18-Apr-17	Surface		17X206489	0.010	<MDL	<0.000019	<0.000019	79	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.7	4.4	<3	5.5	13.0	4.7	13.0	0.88	-0.17	1778	15.98	8.2	1.156	0.01	-0.17	1778	15.98	8.2	1.156	1.156	TSS MDL = 3.0mg/L		
N11	18-Apr-17	Halocline		17X206489	0.010	<MDL	<0.000019	<0.000019	303	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	4.8	4.8	4	4.3	12.7	4.8	12.7	16.11	1.21	27078	12.22	7.36	17.62	0.01	1.21	27078	12.22	7.36	17.62	17.62	TSS MDL = 3.0mg/L		
N12	18-Apr-17	Surface		17X206489	0.041	<MDL	<0.000019	<0.000019	103	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.8	4.6	<3	3.6	12.7	4.																	

