





Sample Site	Sample Date	Sample Depth	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis																		Methylmercury Monitoring Parameters - Water Feb 2019											In Situ				
					Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low level THg (Flett; ng/L)	Low Level THg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorus as P (mg/L)	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Organic Carbon (mg/L)	Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)	Notes							
																																0.01	0.01	0.05	0.000019	0.000025	2	0.05
N5	6-Apr-17	Surface	17x203307	RDL	0.010	0.018	<0.000019	<0.000019	<2	<0.05	<0.03	0.6	0.07	<0.05	0.11	4.0	3.7	50	31.4	11.5	1	7.25	10	0.00	18.2	12.51	7.85	0.0113	*Method Detection Limit (MDL)									
N6	6-Apr-17	Surface	17x203307	0.014	0.017	<0.000019	<0.000019	<2	<0.05	<0.03	0.8	0.06	<0.05	0.21	3.8	4.2	12	13.6	12.4		0.00	<0.11	14	12.66	7.87	0.0091												
N7	6-Apr-17	Surface	17x203307	0.011	0.014	<0.000019	<0.000019	<2	<0.05	<0.03	0.4	0.08	<0.05	0.16	4.1	4.0	88	16.9	12.2		0.00	<0.11	18	12.54	7.8	0.0117												
N8	7-Apr-17	Surface	17x203938	0.013	0.018	<0.000019	<0.000019	17	<0.05	<0.03	0.5	<0.05	<0.05	0.19	4.1	3.8	7	7.7	10.9		0.00	<0.13	387	12.67	7.92	0.2474												
N8	7-Apr-17	Halocline	17x203938	0.010	0.016	<0.000019	<0.000019	61	<0.05	<0.03	1.1	<0.05	<0.05	0.37	4.0	4.0	5	8.9	11.5		0.56	<0.14	1038	12.68	7.51	0.648												
N9	7-Apr-17	Surface	17x203938	0.010	0.013	<0.000019	<0.000019	156	<0.05	<0.03	0.5	<0.05	<0.05	0.03	5.1	4.6	8	6.7	11.6		1.38	<0.22	2606	12.29	7.65	1.643												
N9	7-Apr-17	Halocline	17x203938	0.010	0.010	<0.000019	<0.000019	766	<0.05	<0.03	0.3	<0.05	<0.05	0.04	3.0	3.5	7	4.4	11.7		5.43	<0.39	3618	11.5	7.04	6.153		Nitrate/Nitrite MDL = 5.0 mg/L										
N1	11-Apr-17	Surface	17x204687	0.010	0.019	<0.000019	<0.000019	<2	<0.05	<0.03	0.8	<0.05	<0.05	0.14	4.9	4.1	<5	1.1	11.6		0.01	3.66	44	16.02	8.66	0.027												
N4	11-Apr-17	Surface	17x204687	0.040	0.076	<0.000019	<0.000019	<2	<0.05	0.04	1.7	0.09	<0.05	0.09	4.1	3.7	<5	3.4	12.3		0.01	<0.08	20	13.58	7.27	0.013												
N4	11-Apr-17	Mid	17x204687	0.012	0.022	<0.000019	<0.000019	<2	<0.05	<0.03	2.4	0.07	<0.05	0.15	4.1	4.2	<5	5.1	11.4		0.01	<0.08	20	13.56	7.29	0.013												
N4	11-Apr-17	Bottom	17x204687	0.011	0.017	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.13	4.2	4.3	<5	5.0	11.5		0.01	<0.07	19	20.22	7.97	0.013												
N5	11-Apr-17	Surface	17x204687	0.020	0.037	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.03	3.4	3.3	67	40.2	12.5		0.01	<0.07	20	19.55	7.96	0.013												
N6	11-Apr-17	Surface	17x204687	0.012	0.019	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	0.07	<0.05	0.14	3.9	3.8	<5	10.8	12.2		0.01	<0.07	23	17.74	8.47	0.015												
N10	12-Apr-17	Surface	17x205156	<MDL	0.036	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.03	3.5	3.1	14	11.6	12.1		0.01	<0.09	22	16.25	7.64	0.014												
N10	12-Apr-17	Surface	17x205156	<MDL	0.014	<0.000019	<0.000019	65	<0.05	<0.03	1.2	<0.05	<0.05	<0.03	5.7	5.5	<5	4.4	11.4		0.82	<0.11	1659	16.75	7.95	1.077												
N10	12-Apr-17	Halocline	17x205156	<MDL	<MDL	<0.000019	<0.000019	1060	<0.05	<0.03	0.6	<0.05	<0.05	0.2	3.0	2.3	<5	1.3	11.4		14.66	0.84	24740	12.53	7.31	16.2												
N11	12-Apr-17	Surface	17x205156	<MDL	0.011	<0.000019	<0.000019	80	<0.05	<0.03	0.9	<0.05	<0.05	<0.03	4.5	5.0	<5	6.3	12.1		0.95	<0.12	1905	18.45	8.21	1.238												
N11	12-Apr-17	Halocline	17x205156	<MDL	<MDL	<0.000019	<0.000019	740	<0.05	<0.03	0.8	<0.05	<0.05	<0.03	3.5	3.6	<5	3.6	11.2		16.44	1.31	27653	11.9	7.46	18.01												
N12	12-Apr-17	Surface	17x205156	<MDL	0.011	<0.000019	<0.000019	105	<0.05	<0.03	1	<0.05	<0.05	0.15	5.2	5.1	<5	4.4	11.8		1.25	<0.12	2483	19.78	8.14	1.615												
N12	12-Apr-17	Halocline	17x205156	<MDL	<MDL	<0.000019	<0.000019	1090	<0.05	<0.03	1.1	<0.05	<0.05	<0.03	2.4	2.4	<5	2.6	10.9		1.65	33965	13.11	7.57	22.08													
N13	12-Apr-17	Surface	17x205156	<MDL	0.010	<0.000019	<0.000019	1840	<0.05	<0.03	0.8	<0.05	<0.05	<0.03	4.3	3.9	11	11.2	12.1		11.33	0.77	38674	12.05	7.84	19.35		Nitrate/Nitrite MDL = 5.0 mg/L										
N8	12-Apr-17	Surface	17x205156	<MDL	0.010	<0.000019	<0.000019	9	<0.05	<0.03	<0.4	<0.05	<0.05	0.08	4.4	4.2	<5	11.2	10.5	12.5		0.12	<0.08	251	16.69	8.34	0.165											
N8	12-Apr-17	Halocline	17x205156	<MDL	0.010	<0.000019	<0.000019	133	<0.05	<0.03	<0.4	0.12	<0.05	<0.03	4.6	4.5	<5	6.0	12.1		9.01	1.02	16580	13.22	7.22	10.32												
N9	12-Apr-17	Surface	17x205156	0.017	0.051	<0.000019	<0.000019	68	<0.05	<0.03	0.6	0.06	<0.05	0.19	2.9	2.8	<5	1.7	12.2		1.76	<0.07	3443	16.85	7.72	2.237												
N9	12-Apr-17	Halocline	17x205156	<MDL	<MDL	<0.000019	<0.000019	985	<0.05	<0.03	0.4	<0.05	<0.05	0.2	10.2	6.3	8	3.2	11.9		12.97	1.08	22198	12.81	7.24	14.44												
N1	18-Apr-17	Surface	17x206489	0.010	0.015	<0.000019	<0.000019	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.5	4.4	<3	0.6	12.2		0.00	<0.04	21	16.2	8.72	0.014		TSS MDL = 3.0mg/L										
N10	18-Apr-17	Surface	17x206489	<MDL	0.020	<0.000019	<0.000019	61	<0.05	<0.03	0.6	<0.05	<0.05	<0.03	5.4	5.1	<3	5.5	12.9		0.55	<0.16	1134	11.02	7.3	0.739		TSS MDL = 3.0mg/L										
N10	18-Apr-17	Halocline	17x206489	<MDL	<MDL	<0.000019	<0.000019	67	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	6.7	6.6	<3	4.3	12.8		0.00	<0.03	29874	11.02	7.52	2.032		TSS MDL = 3.0mg/L										
N11	18-Apr-17	Surface	17x206489	0.010	<MDL	<0.000019	<0.000019	79	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.7	4.4	<3	5.5	13.0		0.88	<0.17	1778	15.98	8.2	1.156		TSS MDL = 3.0mg/L										
N11	18-Apr-17	Halocline	17x206489	0.010	<MDL	<0.000019	<0.000019	303	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	4.8	4.8	4	4.3	12.7		16.11	1.21	27078	12.22	7.36	17.62		TSS MDL = 3.0mg/L										
N12	18-Apr-17	Surface	17x206489	<MDL	0.041	<0.000019	<0.000019	103	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.8	4.6	<3	3.6	12.7		1.32	<0.18	2622	15.03	8.23	1.703		TSS MDL = 3.0mg/L										
N12	18-Apr-17	Halocline	17x206489	<MDL	<MDL	<0.000019	<0.000019	1430	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	9.4	4.6	8	2.0	12.2		16.48	0.91	27618	11.39	7.51	17.98		TSS MDL = 3.0mg/L; Nitrate/Nitrite MDL = 5.0 mg/L										
N13	18-Apr-17	Surface	17x206489	<MDL	<MDL	<0.000019	<0.000019	1760	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.6	2.6	5	1.5	13.0		20.87	0.34	34425	10.71	8.15	22.52		TSS MDL = 3.0mg/L; Nitrate/Nitrite MDL = 5.0 mg/L										
N4	18-Apr-17	Surface	17x206489	0.018	0.019	<0.000019	<0.000019	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.8	5.0	<3	8.0	12.4		0.00	<0.09	32	14.62	7.8	0.021		TSS MDL = 3.0mg/L										
N4	18-Apr-17	Mid	17x206489	0.014	0.010	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	4.6	4.4	4	5.8	12.3		0.00	<0.10	19	13.27	7.53	0.013		TSS MDL = 3.0mg/L										
N4	18-Apr-17	Bottom	17x206489	0.010	0.014	<0.000019	<0.000019	<2	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	4.6	4.5	<3	3.0	12.5		0.00	<0.10	19	13.27	7.53	0.013		TSS MDL = 3.0mg/L										
N5	18-Apr-17	Surface	17x206489	0.018	0.031	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.22	4.4	4.2	4	117.0	13.1		0.00	<0.09	14	17.3	7.3	0.011		TSS MDL = 3.0mg/L										
N6	18-Apr-17	Surface	17x206489	0.011	0.011	<0.000019	<0.000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	4.3	4.4	24	15.2	12.3		0.00	<0.06	35	13.23	7.47	0.023		TSS MDL = 3.0mg/L										
N7	18-Apr-17	Surface	17x206489	0.015	0.011	<0.000019	<0.000019	<2	<0.05	<0.03	0.6	<0.05	<0.05	0.05	4.3	4.3	39	29.7	12.9		0.00	<0.09	23	15.72	7.59	0.015		TSS MDL = 3.0mg/L										
N8	19-Apr-17	Surface	17x206885	0.010	0.020	<0.000019	<0.000019	10	<0.05	<0.03	<0.4	<0.05	<0.05	0.04	5.9	4.4	15	11.8	11.9		0.12	<0.11	266	16.96	8.55	0.172		TSS MDL = 3.0mg/L										
N8	19-Apr-17	Halocline	17x206885	<MDL	0.018	<0.000019	<0.000019	1210	<0.05	<0.03	<0.4	<0.05	<0.05	0.17	3.1	3.6	<3	3.0	11.4		9.06	0.95	15822	13.17	7.2	10.33		TSS MDL = 3.0mg/L; Nitrate/Nitrite MDL = 5.0 mg/L										
N9	19-Apr-17	Surface	17x206885	0.010	<MDL	<0.000019	<0.000019	130	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	4.7	4.6	<3	4.9	11.8		0.00	<0.09	19	13.02	7.54	0.013		TSS MDL = 3.0mg/L										
N9	19-Apr-17																																					





Table with columns: Sample Site, Sample Date, Sample Depth, Flett Work Order Number, AGAT Work Order #, Laboratory Analysis (Dissolved MeHg, Total MeHg, Low Level THg, etc.), Methylmercury Monitoring Parameters (Total Phosphorus, Ammonia, Nitrate, etc.), and In Situ (pH, Salinity, Conductivity, etc.).



Sample Site	Sample Date	Sample Depth	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis										Methylmercury Monitoring Parameters - Water Feb 2019										In Situ															
					Dissolved MeHg (mg/L)	Total MeHg (mg/L)	Low level THg (mg/L)	Low Level THg (mg/L)	Low Level DHg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorus (Low Level) (mg/L)	Total Organic Carbon (mg/L)	Organic Carbon (mg/L)	Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)	Notes									
N4	7-Mar-18	Bottom	18X318370	18X318062	0.01	0.01	0.05	0.0000019	0.0000025	2	0.05	0.03	0.4	0.05	0.05	0.02	0.5	0.5	0.1	0.1	0.022	4.6	4.4	10	10.6	0.1	23	7.07	11	0.10	0.00	14.93	NA	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)
N5	7-Mar-18	Surface	18X318370	18X318062	0.014	0.020	0.84			0.8	<0.05	0.04	<0.4	<0.05	<0.05	0.026	4.0	4.0	10	10.1	0.069	4.4	4.2	45	21.8	7.07	11	0.01	0.00	17.21										
N6	7-Mar-18	Surface	18X318370	18X318062	0.015	0.018	0.94			0.9	<0.05	0.05	0.4	<0.05	<0.05	0.069	4.4	4.2	45	21.8	0.069	4.4	4.2	45	21.8	7.07	11	0.00	0.00	17.5										
N7	7-Mar-18	Surface	18X318370	18X318062	0.014	0.019	0.98			0.9	<0.05	<0.03	<0.4	<0.05	<0.05	0.040	4.5	4.1	31	13.7	0.040	4.5	4.1	31	13.7	7.07	12	0.00	0.00	16.8										
N8	8-Mar-18	Surface	18X318449	18X318435	0.012	0.018	0.79			17.8	<0.05	<0.03	<0.4	<0.05	<0.05	0.020	4.4	4.2	2	11.2	0.020	4.4	4.2	2	11.2	522	7.08	239	0.24	0.10	15.68									
N8	8-Mar-18	Halocline	18X318449	18X318435	0.018	0.016	0.55			274	<0.05	<0.05	<0.4	<0.05	<0.05	0.020	5.0	4.8	5	9.7	0.020	5.0	4.8	5	9.7	6890	7.44	4920	7.51	0.00	15.15									
N9	8-Mar-18	Surface	18X318449	18X318435	0.011	0.017	0.88			180	<0.05	0.03	0.4	<0.05	<0.05	0.023	3.0	3.0	4	9.6	0.023	3.0	3.0	4	9.6	3390	7.26	1700	1.54	-0.10	15.7									
N9	8-Mar-18	Halocline	18X318449	18X318435	0.011	0.013	0.75			257	<0.05	<0.03	0.4	<0.05	<0.05	0.020	3.0	3.5	7	9.4	0.020	3.0	3.5	7	9.4	6480	7.51	2750	5.50	0.00	15.68									
N10	8-Mar-18	Surface	18X318449	18X318435	0.015	0.017	0.88			68.2	<0.05	0.03	1	0.05	<0.05	0.015	5.3	5.2	2	4.9	0.015	5.3	5.2	2	4.9	1900	7.23	910	1.11	-0.10	15.62									
N10	8-Mar-18	Halocline	18X318449	18X318435	0.012	0.015	0.84			248	<0.05	0.04	1.5	<0.05	<0.05	0.015	3.7	3.7	3	4.4	0.015	3.7	3.7	3	4.4	6280	7.43	2580	8.20	-0.10	15.76									
N11	8-Mar-18	Surface	18X318449	18X318435	0.011	0.015	0.58			52	<0.05	0.03	0.9	<0.05	<0.05	0.011	2.9	2.9	1	3.6	0.011	2.9	2.9	1	3.6	1640	7.21	789	0.81	-0.10	15.17									
N11	8-Mar-18	Halocline	18X318449	18X318435	0.010	0.010	0.62			421	<0.05	0.05	0.9	<0.05	<0.05	0.013	3.6	3.4	12	2.7	0.013	3.6	3.4	12	2.7	10000	7.55	5300	6.06	-0.30	15.5									
N12	8-Mar-18	Surface	18X318449	18X318435	0.010	0.015	0.75			322	<0.05	0.04	0.9	<0.05	<0.05	0.012	4.7	5.0	2	3.6	0.012	4.7	5.0	2	3.6	8950	7.52	4230	3.96	-0.20	15.71									
N12	8-Mar-18	Halocline	18X318449	18X318435	<MDL	0.010	0.54			484	<0.05	0.04	1.2	<0.05	<0.05	0.014	2.9	3.0	2	1.4	0.014	2.9	3.0	2	1.4	11800	7.63	7360	8.58	-0.04	15.36									
N13	8-Mar-18	Surface	18X318449	18X318435	<MDL	0.026	0.80			1350	<0.05	0.05	1.3	<0.05	<0.05	0.060	1.0	1.2	17	8.6	0.060	1.0	1.2	17	8.6	29400	7.80	17900	23.56	-1.20	12.84									
N1	21-Mar-18	Surface	18X322376	18X322375	0.017	0.026	1.64			1.1	<0.05	<0.03	0.7	<0.05	<0.05	0.019	5.6	4.9	20	7.3	0.019	5.6	4.9	20	7.3	28	7.27	15	0.01	0.40	14.15									
N4	21-Mar-18	Surface	18X322376	18X322375	0.017	0.021	0.78			0.9	<0.05	<0.03	0.5	0.07	<0.05	0.010	4.1	4.1	4	5.8	0.010	4.1	4.1	4	5.8	22	7.20	11	0.01	0.00	14.27									
N4	21-Mar-18	Mid	18X322376	18X322375	0.017	0.014	0.70			0.9	<0.05	0.06	0.5	<0.05	<0.05	0.010	4.4	4.2	5	6.2	0.010	4.4	4.2	5	6.2	23	7.20	12	0.01	0.00	14.38									
N4	21-Mar-18	Bottom	18X322376	18X322375	0.018	0.019	0.72			1	<0.05	0.05	0.6	<0.05	<0.05	0.010	3.9	4.4	6	6.8	0.010	3.9	4.4	6	6.8	24	7.19	12	0.01	0.00	14.32									
N5	21-Mar-18	Surface	18X322376	18X322375	0.015	0.022	0.79			0.9	<0.05	0.05	0.4	<0.05	<0.05	0.013	3.9	3.4	6	8.4	0.013	3.9	3.4	6	8.4	23	7.21	12	0.01	0.00	16.28									
N6	21-Mar-18	Surface	18X322376	18X322375	0.015	0.018	0.54			0.9	<0.05	0.03	0.6	<0.05	<0.05	0.017	4.3	4.3	10	9.5	0.017	4.3	4.3	10	9.5	22	7.21	11	0.01	0.00	16.48									
N7	21-Mar-18	Surface	18X322376	18X322375	0.014	0.014	0.79			0.9	<0.05	0.04	0.4	0.07	<0.05	0.026	3.9	3.7	19	11.6	0.026	3.9	3.7	19	11.6	22	7.19	12	0.01	0.00	16.3									
N8	22-Mar-18	Surface	18X322796	18X322795	0.014	0.016	0.70			9.3	<0.05	<0.03	0.6	<0.05	<0.05	0.009	4.0	3.9	2	7.2	0.009	4.0	3.9	2	7.2	269	7.25	132	0.13	0.00	15.54									
N8	22-Mar-18	Halocline	18X322796	18X322795	0.012	0.017	0.71			24.2	<0.05	<0.03	0.7	<0.05	<0.05	0.012	4.3	4.1	4	6.7	0.012	4.3	4.1	4	6.7	676	7.27	380	4.70	0.10	15.52									
N9	22-Mar-18	Surface	18X322796	18X322795	0.011	0.015	0.87			170	<0.05	0.03	0.5	<0.05	<0.05	0.010	5.3	5.1	4	4.9	0.010	5.3	5.1	4	4.9	4180	7.48	2220	1.53	-0.10	15.64									
N9	22-Mar-18	Halocline	18X322796	18X322795	0.010	0.011	0.61			691	<0.05	0.03	0.6	<0.05	<0.05	0.012	2.1	2.1	5	4.2	0.012	2.1	2.1	5	4.2	15200	7.69	8840	6.95	0.00	15.75									
N10	22-Mar-18	Surface	18X322796	18X322795	0.010	0.013	0.73			56	<0.05	<0.03	0.5	<0.05	0.5	0.009	4.3	4.1	3	6.9	0.009	4.3	4.1	3	6.9	1390	7.35	782	0.69	0.00	16.22									
N10	22-Mar-18	Halocline	18X322796	18X322795	0.011	0.012	0.67			168	<0.05	<0.03	0.4	<0.05	<0.05	0.016	4.9	4.9	4	4.0	0.016	4.9	4.9	4	4.0	448	7.05	1220	4.58	-0.10	15.22									
N11	22-Mar-18	Surface	18X322796	18X322795	<MDL	0.010	0.64			335	<0.05	<0.03	0.6	<0.05	<0.05	0.007	5.1	4.9	2	6.5	0.007	5.1	4.9	2	6.5	7770	7.57	4370	4.13	-0.20	15.53									
N11	22-Mar-18	Halocline	18X322796	18X322795	<MDL	0.010	0.41			1210	<0.05	<0.03	0.6	<0.05	<0.05	0.016	1.9	2.0	2	2.3	0.016	1.9	2.0	2	2.3	25200	7.79	16200	8.45	-0.30	13.61									
N12	22-Mar-18	Surface	18X322796	18X322795	<MDL	0.010	0.70			306	<0.05	<0.03	0.6	<0.05	<0.05	0.008	4.8	4.6	1	2.1	0.008	4.8	4.6	1	2.1	6930	7.59	4020	3.65	-0.20	16.01									
N12	22-Mar-18	Halocline	18X322796	18X322795	<MDL	<MDL	0.60			525	<0.05	0.04	0.5	<0.05	<0.05	0.008	2.7	2.9	<1	1.1	0.008	2.7	2.9	<1	1.1	11900	7.68	7020	6.76	-0.40	15.31									
N13	22-Mar-18	Surface	18X322796	18X322795	<MDL	<MDL	0.33			2080	<0.05	0.03	<0.4	<0.05	<0.05	0.022	0.8	0.8	4	2.5	0.022	0.8	0.8	4	2.5	40600	7.91	27400	25.49	-1.30	12.92									
N1	3-Apr-18	Surface	18X325918	18X325917																																				

Sample Site	Sample Date	Sample Depth	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis											Methylmercury Monitoring Program - Water - Feb 2019													In Situ				Notes					
					Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low level THg (mg/L)	Low Level THg (mg/L)	Low Level DHg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N (mg/L)	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorus as P (mg/L)	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Organic Carbon (mg/L)	Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)							
N4	11-Jul-18	Bottom	18X361009	18X357600	0.01	0.01	0.05	0.000019	0.000025	2	0.05	0.03	0.4	0.05	0.05	0.02	0.5	0.5	0.5	0.1	3	3.8	15	6.81	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)			
N5	11-Jul-18	Surface	18X361009	18X357600	0.025	0.031	1.89	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.009	5.9	5.6	5	4.3	16	6.87	7	6.83	12													
N6	11-Jul-18	Surface	18X361009	18X357600	0.023	0.037	1.86	0.7	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.009	6.0	5.4	44	19.6	16	6.83	12	6.83	12													
N7	11-Jul-18	Surface	18X361009	18X357600	0.025	0.036	2.07	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.021	6.0	5.5	5	6.5	17	7.12	8	7.12	8													
N1	19-Jul-18	Surface	18X364249	18X364249	0.023	0.021	1.38	0.8	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.006	6.2	6.3	<1	1.0	22	7.28	10	7.28	10	0.01	14.50									10.43		
N4	19-Jul-18	Surface	18X364255	18X364249	0.031	0.038	1.68	0.8	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.006	6.3	5.8	1	1.1	18	6.96	9	6.96	9	0.01	15.60									10.18		
N4	19-Jul-18	Mid	18X364255	18X364249	0.035	0.044	1.60	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.006	6.3	5.7	<1	1.5	18	6.90	9	6.90	9	0.01	15.60									10.15		
N4	19-Jul-18	Bottom	18X364255	18X364249	0.037	0.042	1.53	0.9	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.013	6.4	5.9	4	11.2	18	6.88	9	6.88	9	0.01	15.50									9.91		
N5	19-Jul-18	Surface	18X364255	18X364249	0.028	0.034	1.59	0.8	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.007	6.3	5.8	2	2.7	20	6.90	9	6.90	9	0.01	15.20									11.88		
N6	19-Jul-18	Surface	18X364255	18X364249	0.029	0.032	1.52	0.8	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.009	6.5	5.7	4	3.9	18	6.86	9	6.86	9	0.01	14.80									11.66		
N7	19-Jul-18	Surface	18X364255	18X364249	0.025	0.033	1.62	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.012	6.6	5.9	5	4.1	20	6.87	8	6.87	8	0.01	15.20									11.17		
N8	19-Jul-18	Surface	18X364255	18X364249	0.021	0.031	1.56	9	<0.05	0.03	<0.4	<0.05	<0.05	0.14	0.009	6.5	6.1	2	2.9	316	6.94	131	6.94	131	6.94	131	0.14	16.00									10.78	
N8	19-Jul-18	Halocline	18X364255	18X364249	<MDL	<MDL	0.92	762	<0.05	0.03	<0.4	<5	<5	<5	0.014	2.9	2.0	2	2.4	20700	7.57	10900	10.59	10.59	10.59											11.07		
N10	20-Jul-18	Surface	18X364787	18X364769	<MDL	<MDL	1.16	537	<0.05	0.03	<0.4	<5	<5	<5	0.009	3.1	2.9	1	1.9	12100	7.57	7060	6.63	6.63	6.63												10.41	
N10	20-Jul-18	Halocline	18X364787	18X364769	<MDL	<MDL	0.99	694	<0.05	0.03	<0.4	<5	<5	<5	0.009	2.3	1.9	2	2.0	17900	7.57	9960	7.90	7.90	7.90												11.04	
N11	20-Jul-18	Surface	18X364787	18X364769	<MDL	<MDL	1.28	192	<0.05	0.03	<0.4	<0.05	1.88	0.009	6.9	6.5	2	2.2	5260	7.31	2730	2.75	2.75	2.75													9.73	
N12	20-Jul-18	Surface	18X364787	18X364769	<MDL	<MDL	1.33	164	<0.05	0.03	<0.4	<0.05	1.33	0.009	7.1	6.1	3	3.1	4750	7.32	2420	2.46	2.46	2.46														11.03
N13	20-Jul-18	Surface	18X364787	18X364769	<MDL	<MDL	0.90	932	<0.05	0.03	<0.4	<12	<5	0.023	3.0	2.6	4	1.5	24200	7.83	13600	14.52	14.52	14.52														12.16
N1	24-Jul-18	Surface	18X365972	18X365971	0.020	0.027	1.58	0.7	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.005	6.2	5.9	<1	1.2	20	7.08	9	7.08	9	0.01	15.50										10.21	
N4	24-Jul-18	Surface	18X365972	18X365971	0.028	0.034	1.46	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.005	6.2	5.6	1	2.6	19	6.97	9	6.97	9	0.01	17.20										9.84	
N4	24-Jul-18	Mid	18X365972	18X365971	0.025	0.040	1.29	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.005	6.3	5.7	2	1.7	19	6.96	9	6.96	9	0.01	17.20										9.87	
N4	24-Jul-18	Bottom	18X365972	18X365971	0.026	0.041	1.51	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.004	6.0	5.5	1	2.4	19	6.96	9	6.96	9	0.01	17.20										9.88	
N5	24-Jul-18	Surface	18X365972	18X365971	0.025	0.035	1.50	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.008	6.3	5.6	3	4.0	19	6.96	10	6.96	10	0.01	16.90										11.53	
N6	24-Jul-18	Surface	18X365972	18X365971	0.022	0.037	1.58	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.010	6.2	5.5	4	5.3	19	6.96	10	6.96	10	0.01	16.70										11.33	
N7	24-Jul-18	Surface	18X365972	18X365971	0.026	0.040	2.22	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.021	7.2	5.4	14	21.3	23	6.97	12	6.97	12	0.01	17.30										10.6	
N8	24-Jul-18	Surface	18X365972	18X365971	0.017	0.027	1.50	35.5	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.007	6.6	5.8	2	3.3	1160	7.00	530	7.00	530	0.54	18.00										10.19	
N8	24-Jul-18	Halocline	18X365972	18X365971	0.012	0.019	1.15	327	<0.05	0.03	<0.4	<5	<5	<5	0.011	3.0	2.7	2	3.0	9480	7.34	3990	9.42	9.42	9.42													10.95
N8	24-Jul-18	Surface	18X365972	18X365971	0.011	0.018	1.23	475	<0.05	0.04	<0.4	<0.05	<0.05	<0.05	<0.05	0.014	4.8	4.6	3	5.4	13600	7.08	7800	9.49	9.49	9.49												10.87
N9	24-Jul-18	Halocline	18X365972	18X365971	<MDL	<MDL	1.27	564	<0.05	0.03	<0.4	<5	<5	<5	0.015	2.3	2.0	2	3.0	15800	7.54	9310	13.77	13.77	13.77													11.92
N10	24-Jul-18	Surface	18X365972	18X365971	<MDL	<MDL	1.19	320	<0.05	0.03	<0.4	<5	<5	<5	0.007	3.1	2.8	<1	1.3	8920	7.45	4560	4.81	4.81	4.81													9.94
N10	24-Jul-18	Halocline	18X365972	18X365971	<MDL	<MDL	1.10	415	<0.05	0.03	<0.4	<5	<5	<5	0.006	3.0	2.7	1	1.5	11600	7.51	6060	6.31	6.31	6.31													10.04
N1	1-Aug-18	Surface	18X369220	18X369219	0.022	0.035	1.82	0.7	<0.05	0.03	<0.4	0.06	<0.05	<0.05	<0.05	0.006	6.5	5.4	1	1.5	19	7.14	13	7.14	13	0.01	18.50										9.49	
N4	1-Aug-18	Surface	18X369220	18X369219	0.037	0.051	2.22	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.012	6.7	4.1	3	6.1	18	7.05	8	7.05	8	0.01	18.20										9.35	
N4	1-Aug-18	Mid	18X369220	18X369219	0.034	0.052	2.10	0.6	<0.05	0.03	<0.4	<0.05	<0.05	<0.05	<0.05	0.012	6.3	6.1	3	5.7	18	7.03	9	7.03	9	0.01	18.10										9.3	
N4	1-Aug-18	Bottom	18X369220	18X369219	0.036	0.054	2.12	0.6	<0.05	0.03	<0.4	0.06	<0.05	<0.05	<0.05	0.014	6.8																					



Sample Site	Sample Date	Sample Depth	Flett Work Order Number	AGAT Work Order #	Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low Level THg (mg/L)	Low Level THg (mg/L)	Low Level DHg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N (mg/L)	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorus as P (mg/L)	Laboratory Analysis				Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	In Situ					Notes	
																	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Organic Carbon (mg/L)	Suspended Solids (mg/L)					Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)	pH		Total Dissolved Solids (mg/L)
N12	19-Sep-18	Halocline	18X387264	18X387260	<MDL	<MDL	0.05	0.0000019	0.0000025	2	0.05	0.03	0.4	0.05	0.05	0.002	0.02	0.5	0.5	0.1	0.1	1	7.75	16900	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)
N13	19-Sep-18	Surface	18X387264	18X387260	<MDL	<MDL	0.51			1060	<0.05	0.09	<0.20	<5	<5	0.013	<0.5	<0.5	2	1.0	27400	7.77	17000								
N1	25-Sep-18	Surface	18X389593	18X389592	0.027	0.029	1.31			0.9	<0.05	<0.03	0.18	<0.05	<0.05	0.004	6.6	5.9	4	1.4	24	7.17	11								
N4	25-Sep-18	Surface	18X389593	18X389592	0.034	0.045	1.39			0.7	<0.05	<0.03	0.11	<0.05	<0.05	0.013	6.3	6.0	8	14.2	22	7.20	12								
N4	25-Sep-18	Mid	18X389593	18X389592	0.035	0.044	1.39			0.7	<0.05	<0.03	0.23	<0.05	<0.05	0.018	6.3	5.9	7	13.6	22	7.22	12								
N4	25-Sep-18	Bottom	18X389593	18X389592	0.035	0.046	1.55			0.8	<0.05	<0.03	0.12	<0.05	<0.05	0.018	6.2	5.7	12	13.7	22	7.23	12								
N5	25-Sep-18	Surface	18X389593	18X389592	0.029	0.039	1.53			0.8	<0.05	<0.03	<0.10	<0.05	<0.05	0.017	6.2	5.7	12	14.6	22	7.23	12								
N6	25-Sep-18	Surface	18X389593	18X389592	0.028	0.034	1.50			0.8	<0.05	<0.03	0.26	<0.05	<0.05	0.014	6.2	5.7	10	15.4	23	7.25	12								
N7	25-Sep-18	Surface	18X389593	18X389592	0.028	0.043	1.50			0.8	<0.05	<0.03	0.17	<0.05	<0.05	0.017	6.4	6.1	9	14.1	25	7.26	12								
N8	25-Sep-18	Surface	18X389593	18X389592	0.014	0.020	1.10			345	<0.05	<0.03	0.16	<0.05	<1.5	0.012	3.0	2.9	8	5.9	9720	7.54	5080								
N9	26-Sep-18	Surface	18X390117	18X390116	0.011	0.010	0.73			981	<0.05	<0.03	<0.10	<5	<5	0.017	2.9	2.5	18	4.5	20200	7.64	12300								
N10	26-Sep-18	Surface	18X390117	18X390116	<MDL	<MDL	0.45			1230	<0.05	<0.03	<0.10	<10	<10	0.016	1.9	1.9	4	1.4	26500	7.76	17100								
N11	26-Sep-18	Surface	18X390117	18X390116	<MDL	<MDL	0.50			1130	<0.05	<0.03	<0.10	<10	<10	0.016	2.0	2.0	10	2.9	24400	7.78	15700								
N12	26-Sep-18	Surface	18X390117	18X390116	<MDL	<MDL	0.55			988	<0.05	<0.03	<0.10	<5	<5	0.011	2.3	2.2	<1	1.8	22700	7.78	14500								
N13	26-Sep-18	Surface	18X390117	18X390116	<MDL	<MDL	0.34			1500	<0.10	<0.03	0.11	<10	<10	0.018	1.6	1.2	8	1.0	31800	7.87	22200								
N1	1-Oct-18	Surface	18X392990	18X392916	0.021	0.027	1.33			3.9	<0.05	0.13	0.21	<0.05	<0.05	0.099	5.7	5.1	<1	0.8	105	7.06	36	0.01	8.30						
N4	1-Oct-18	Surface	18X392990	18X392916	0.029	0.039	1.44			0.7	<0.05	0.38	<0.10	<0.05	<0.05	0.007	5.8	5.7	1	3.0	21	7.03	11	0.01	8.70						
N4	1-Oct-18	Mid	18X392990	18X392916	0.036	0.044	1.36			0.7	<0.05	0.43	<0.10	<0.05	<0.05	0.008	5.8	5.6	2	2.8	21	7.02	10	0.01	8.70						
N4	1-Oct-18	Bottom	18X392990	18X392916	0.030	0.041	1.39			0.8	<0.05	0.28	0.11	<0.05	<0.05	0.010	5.9	5.4	1	3.6	21	7.01	11	0.01	8.70						
N5	1-Oct-18	Surface	18X392990	18X392916	0.027	0.034	1.39			0.7	<0.05	0.07	<0.10	<0.05	<0.05	0.018	5.7	5.6	4	4.8	21	7.03	10	0.01	9.10						
N6	1-Oct-18	Surface	18X392990	18X392916	0.025	0.031	1.42			0.8	<0.05	0.03	0.12	<0.05	<0.05	0.016	5.9	5.6	6.0	6.7	24	7.04	10	0.01	8.70						
N7	1-Oct-18	Surface	18X392990	18X392916	0.029	0.036	1.59			0.8	<0.05	<0.03	<0.10	<0.05	<0.05	0.019	5.9	5.5	8	7.2	24	7.06	11	0.01	8.00						
N8	1-Oct-18	Surface	18X392990	18X392916	0.015	0.026	1.17			235	<0.05	<0.03	<0.10	<1.5	<1.5	0.020	3.3	5.6	7	5.1	6460	7.38	3540	3.74	7.40						
N8	1-Oct-18	Halocline	18X392990	18X392916	<MDL	0.010	0.73			868	<0.05	<0.03	<0.10	<5	<5	0.002	2.2	2.2	8	2.3	20800	7.70	13200	13.31	5.70						
N9	3-Oct-18	Surface	18X393829	18X393723	0.010	0.014	0.97			2050	<0.05	<0.03	0.14	<5	<5	0.01	3.4	3.2	5.0	3.2	12400	7.59	9050	7.48	6						
N9	3-Oct-18	Halocline	18X393829	18X393723	<MDL	0.010	0.61			961	<0.05	<0.03	<0.10	<10	<10	0.016	2.2	1.8	4.0	1.9	21800	7.72	14700	15.33	5.1						
N10	3-Oct-18	Surface	18X393829	18X393723	<MDL	<MDL	0.42			1270	<0.05	<0.03	<0.10	<10	<10	0.014	1.2	0.5	8.0	0.7	27900	7.79	18900	18.17	5.2						
N11	3-Oct-18	Surface	18X393829	18X393723	<MDL	<MDL	0.45			1030	<0.05	<0.03	<0.10	<10	<10	0.016	1.9	1.6	6.0	1.9	22600	7.79	15600	19.85	3.6						
N11	3-Oct-18	Halocline	18X393829	18X393723	<MDL	<MDL	0.45			1200	<0.05	<0.03	0.24	<10	<10	0.022	1.4	1.3	8.0	1.2	24900	7.80	17500	16.82	6.1						
N12	3-Oct-18	Surface	18X393829	18X393723	<MDL	<MDL	0.45			1100	<0.05	<0.03	0.11	<10	<10	0.015	1.8	1.3	8.0	1.6	23400	7.80	16000	15.49	6.2						
N13	3-Oct-18	Surface	18X393829	18X393723	<MDL	<MDL	0.38			1380	<0.05	<0.03	0.13	<10	<10	0.016	1.1	0.9	9.0	1.8	28200	7.85	20600	19.01	5.9						
N1	10-Oct-18	Surface	18X395942	18X395585	0.021	0.026	1.30			3.7	<0.05	0.04	<0.10	0.08	<0.05	0.004	6.2	5.2	<1	1.0	103	7.08	35	0.01	6.8						
N4	10-Oct-18	Surface	18X395942	18X395585	0.028	0.034	1.32			0.8	<0.05	0.03	<0.10	<0.05	<0.05	0.005	5.5	5.1	2	2.7	21	7.00	9	0.01	6.3						
N4	10-Oct-18	Mid	18X395942	18X395585	0.028	0.032	1.29			0.7	<0.05	0.03	<0.10	<0.05	<0.05	0.006	5.4	4.8	2	2.6	21	7.00	9	0.01	6.3						
N4	10-Oct-18	Bottom	18X395942	18X395585	0.025	0.031	1.42			0.7	<0.05	0.03	<0.10	<0.05	<0.05	0.002	5.5	5.2	5.0	5.6	21	7.00	9	0.01	6.3						
N5	10-Oct-18	Surface	18X395942	18X395585	0.026	0.031	1.31			0.8	<0.05	0.03	<0.10	<0.05	<0.05	<0.002	5.1	4.9	3	5.8	21	7.00	10	0.01	6.7						
N6	10-Oct-18	Surface	18X395942	18X395585	0.026	0.032	1.37			0.8	<0.05	0.03	<0.10	<0.05	<0.05	<0.002	5.4	5.2	5	6.0	21	7.00	10	0.01	6.5						
N7	10-Oct-18	Surface	18X395942	18X395585	0.021	0.032	1.41			0.8	<0.05	0.03	<0.10	<0.05	<0.05	<0.002	5.5	5.2	5	5.6	23	7.01	10	0.01	6.2						
N8	10-Oct-18	Surface	18X395942	18X395585	0.013	0.024	1.08			310	<0.05	<0.03	<0.10	<2.5	<2.5	<0.002	2.9	2.8	4	4.4	8710	7.47	4710	4.72	5.1						
N8	10-Oct-18	Halocline	18X395942	18X395585	0.010	0.022	1.05			409	<0.05	<0.03	<0.10	<2.5	<2.5	0.002	2.5	2.4	2	<2.5	11400	7.58	6020	11.68	4.6						
N9	11-Oct-18	Surface	18X396308	18X396291	0.010	0.015	1.03			503	<0.05	<0.03	0.22	<5	<5	0.331	3.1	2.4	16	4.8	13300	7.57	7690	7.18	3.5						
N10	11-Oct-18	Surface	18X396308	18X396291	<MDL	<MDL	0.41			1420	<0.05	0.03	<0.10	<10	<10	0.011	<0.5	<0.5	5	1.3	32600	7.69	21300	19.85	3.6						
N10	11-Oct-18	Halocline	18X396308	18X396291	<MDL	<MDL	0.45			1400	<0.05	0.03	<0.10	<10	<10	0.011	<0.5	<0.5	1	0.8	32600	7.78	21000	20.07	3.6						
N11	11-Oct-18	Surface	18X396308	18X396291	<MDL	0.010	0.61			1130	<0.05	0.03	<0.10	<10	<10	0.022	1.4	0.9	8	7.9	26300	7.80	16900	15.67	3.6						
N12	11-Oct-18	Surface	18X396308	18X396291	<MDL	<MDL	0.47			1120	<0.05	0.03	<0.10	<10	<10	0.014	1.2	0.9	1	1.3	26900	7.80	16500	16.08	4.8						
N13	11-Oct-18	Surface	18X396308	18X396291	<MDL	<MDL	0.31			1730	<0.05	0.04	<0.10	<10	<10	0.020	<0.5	<0.5	2	1.0	39700	7.90	25900	24.27	4.4						
N1	17-Oct-18	Surface	18X398388	18X398385																											