

Laboratory Analysis																In Situ											
Date Entered	Sample Site	Sample Date	Sample Depth	AGAT Work Order # RDL	Dissolved	Total	Low Level THg	Low Level DHg	Sulphate	Sulphide	Ammonia	Total Kjeldahl	Nitrate as	Nitrite as N	Total Phosphorous	Total Organic	Dissolved	Total	Dissolved	Dissolved	Dissolved	Salinity	Temperature	Total	Notes		
					MeHg	MeHg	(mg/L)	(mg/L)	(mg/L)	(mg/L)	as N (mg/L)	Nitrogen as N	Nitrogen as N	as P (mg/L)	Carbon	Organic Carbon	Suspended	Turbidity	Oxygen	Conductivity	Oxygen	pH	(ppt)	(°C)		Solids	
					(ng/L)	(ng/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)		(mg/L)	(mg/L)
14-Dec-16	4	24-Nov-16	Bottom	16X164162	<MDL	0.022			<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.5	4.3	<5	4.5	12	21	20.68	7.1	0.01	1.4	0.013	*Method Detection Limit (MDL)
14-Dec-16	5	24-Nov-16	Surface	16X164162	<MDL	0.022	0.000015		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.5	4.7	7	9.3	12.5	22	25.2	7.04	0.01	1.57	0.015	
14-Dec-16	1	26-Nov-16	Surface	16X164670	0.032	0.038	0.0000068	0.0000045	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	12.7	12.2	<5	1.2	13.2	16	24.3	6.91	0.01	-0.09	0.01	
14-Dec-16	4	26-Nov-16	Surface	16X164670	<MDL	0.016	0.0000039	<0.0000025	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.4	4.2	<5	1.6	12.2	21	19.2	6.95	0.01	0.51	0.014	
14-Dec-16	4	26-Nov-16	Mid	16X164670	0.015	0.023			<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.03	4.3	4.2	<5	2.3	12.2	22	18.48	6.95	0.01	0.51	0.014	
14-Dec-16	4	26-Nov-16	Bottom	16X164670	0.013	0.015			<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.4	4.1	<5	2.1	12.4	22	25.3	6.98	0.01	0.55	0.014	
14-Dec-16	5	26-Nov-16	Surface	16X164670	0.013	0.017	0.0000126	<0.0000025	<2	<0.05	<0.05	0.4	<0.05	<0.05	<0.03	4.6	4.2	7	4.9	13.4	21	25.4	6.94	0.01	0.96	0.014	
14-Dec-16	7	26-Nov-16	Surface	16X164670	0.010	0.017	0.0000028	<0.0000025	<2	<0.05	<0.05	0.5	<0.05	<0.05	<0.03	4.4	4.5	<5	7.4	13.3	23	23.3	7.13	0.01	1.1	0.015	
14-Dec-16	8	26-Nov-16	Surface	16X164670	0.036	0.033	0.0000058	0.0000033	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	12.1	11.4	<5	2.3	13.4	55	20.13	7.02	0.02	0.12	0.035	
14-Dec-16	10	26-Nov-16	Surface	16X164670	<MDL	<MDL	<0.0000019	<0.0000025	1190	<0.05	<0.05	<0.4	2.49	<1	0.11	2	1.8	5	1.5	11.9	25926	19.88	7.33	0.01	-0.26	16.71	Nitrate/Nitrite RDL = 1 mg/L
14-Dec-16	10	26-Nov-16	Nephloid	16X164670	<MDL	<MDL			1350	<0.05	<0.05	<0.4	4.6	<1	0.08	1.6	2	<5	1	11.9	30457	17.42	7.28	0.01	1.3	19.81	Nitrate/Nitrite RDL = 1 mg/L
14-Dec-16	10	26-Nov-16	Below Nephloid	16X164670	<MDL	<MDL			1530	<0.05	<0.05	<0.4	<1	<1	0.06	0.9	1	11	1	12.2	29650	22.3	7.1	0.01	1.2	24.63	Nitrate/Nitrite RDL = 1 mg/L
14-Dec-16	11	26-Nov-16	Surface	16X164670	<MDL	0.011	<0.0000019	<0.0000025	2300	<0.05	<0.05	<0.4	0.08	<2.5	0.06	<0.5	<0.5	15	1.2	13.8	46588	23.5	7.12	28.91	0.42	30.28	Nitrate/Nitrite RDL = 2.5 mg/L
13-Jan-17	1	29-Nov-16	Surface	16X165692	0.038	0.040	0.0000078	0.0000058	<2	<0.05	<0.05	0.7	<0.05	<0.05	<0.03	10.8	10.2	<5	1	11.5	18	19.15	6.67	0.01	-0.08		
13-Jan-17	4	29-Nov-16	Surface	16X165692	0.017	0.016	0.0000046	0.0000036	<2	<0.05	<0.05	0.7	<0.05	<0.05	<0.03	4.4	4.8	<5	1.8	12.2	23	19.01	7.44	0.01	0	0.015	
13-Jan-17	5	29-Nov-16	Surface	16X165692	0.013	0.016	0.0000084	0.0000027	<2	<0.05	<0.05	0.7	<0.05	<0.05	0.15	4.2	4	<5	2.9	12.3	23	21.3	7.13	0.01	-0.11	0.014	
13-Jan-17	1	2-Dec-16	Surface	16X166781	0.013	0.024	0.0000024		<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.07	4.1	4.6	18	4.8	12.2	21	22.15	6.74	0.01	-0.1	0.015	
13-Jan-17	4	2-Dec-16	Surface	16X166781	0.015	0.021	0.0000186		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	5.3	5	<5	1.9	12.1	20	20.76	7.1	0.01	-0.06	0.016	
13-Jan-17	5	2-Dec-16	Surface	16X166781	0.018	0.016	<0.0000019		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.7	4.4	<5	3	12.8	21	24.36	7.31	0.01	-0.06		
16-Jan-17	1	11-Dec-16	Surface	16X169939	0.011	0.024	0.0000153		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	6.9	6.1	<5	1.1	12.7	25	16.62	8.19	0.01	0.05	0.016	
16-Jan-17	4	11-Dec-16	Surface	16X169939	0.013	0.025	<0.0000019		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	5.9	5.2	<5	1.8	12.9	24	19.67	8.07	0.01	0.02	0.016	
16-Jan-17	5	11-Dec-16	Surface	16X169939	<MDL	0.015	0.0000129		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	5.4	5.2	<5	1.4	12.9	25	21.2	7.78	0.01	0	0.016	
16-Jan-17	7	11-Dec-16	Surface	16X169939	0.010	0.019	<0.0000019		<2	<0.05	<0.05	0.7	<0.05	<0.05	<0.03	5.6	5.5	<5	1.8	13.1	26	19.12	7.72	0.01	0	0.017	
16-Jan-17	8	11-Dec-16	Surface	16X169939	0.028	0.029	<0.0000019		17	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	9.5	9	<5	1.6	13	404	16.6	7.97	0.19	-0.01	0.263	
16-Jan-17	10	11-Dec-16	Surface	16X169939	<MDL	0.017	<0.0000019		227	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	6.4	6.7	<5	2.2	14	6192	18.3	7.93	3.28	-0.11	4.032	
16-Jan-17	11	11-Dec-16	Surface	16X169939	<MDL	<MDL	<0.0000019		2360	<0.05	<0.05	<0.4	<0.05	9.52	<0.03	2.7	3.3	11	0.8	15.5	51582	17.5	8.49	32.01	-1.07	33.36	
16-Jan-17	N1	20-Dec-16	Surface	16X173490	0.025	0.041	0.0000049		<2	<0.05	0.08	0.4	0.07	<0.05	<0.03	9.7	7.2	13	3.9	11.4	35	17.86	6.63	0.01	0.01	0.022	
16-Jan-17	N10	20-Dec-16	Surface	16X173490	0.012	0.018	<0.0000019		70	<0.05	0.05	1	<0.05	<0.05	<0.03	6.4	6.2	8	2.1	11.5	2171	17.72	7.86	1.09	-0.03	1.415	
16-Jan-17	N11	20-Dec-16	Surface	16X173490	<MDL	<MDL	<0.0000019		1870	<0.05	<0.05	0.4	<0.05	<0.05	<0.03	4.4	4.6	13	0.9	11.4	30239	15.3	7.39	17.95	-0.43	19.66	
16-Jan-17	N12	20-Dec-16	Surface	16X173490	<MDL	<MDL	<0.0000019		1030	<0.05	<0.05	0.4	0.76	<0.05	0.28	11.6	12	11	1.2	11.7	28425	15.5	7.55	16.8		18.53	
16-Jan-17	N13	20-Dec-16	Surface	16X173490	<MDL	0.012	<0.0000019		314	<0.05	0.08	0.5	<0.05	<0.05	<0.03	6.7	6.4	7	2.2	11.5	44197	12.6	7.97	26.94	-1.23	28.76	
16-Jan-17	N4	20-Dec-16	Surface	16X173490	0.011	0.018	<0.0000019		<2	<0.05	0.08	<0.4	<0.05	<0.05	<0.03	5.6	5.5	9	3.1	11.5	27	18.7	7.92	0.01	0.06	0.017	
16-Jan-17	N5	20-Dec-16	Surface	16X173490	<MDL	0.015	0.0000027		<2	<0.05	MDL	<0.4	<0.05	<0.05	<0.03	6	5.7	13	9.6	11.7	23	17.9	8.13	0.01	0	0.015	
16-Jan-17	N6	20-Dec-16	Surface	16X173490	<MDL	0.013	<0.0000019		<2	<0.05	0.09	0.5	<0.05	<0.05	0.29	5.3	5.2	13	11.7	11.3	26	16.6	7.73	0.01	0	0.017	
16-Jan-17	N7	20-Dec-16	Surface	16X173490	<MDL	0.015	<0.0000019		<2	<0.05	0.09	0.8	<0.05	<0.05	0.09	5.7	5.5	13	6.9	11.4	27	18.6	7.61	0.01	0	0.018	
16-Jan-17	N8	20-Dec-16	Surface	16X173490	0.010	0.016	<0.0000019		7	<0.05	0.1	<0.4	<0.05	<0.05	<0.03	5.6	5.3	8	2.6	11.4	252	17.2	7.2	0.12	0.01	0.166	
16-Jan-17	N9	20-Dec-16	Surface	16X173490	0.012	0.021	<0.0000019		105	<0.05	0.09	0.6	<0.05	<0.05	<0.03	5.3	5.1	8	2.5	11.5	6257	16.9	6.96	4.32	0.31	4.653	
17-Feb-17	N11	20-Jan-17	Surface	17X180270	<MDL	<MDL	<0.0000019		133	<0.05	<0.05	<0.4	<0.05	0.72	<0.03	4.8	4.8	<5	3.8	14.1	3665	23.2	7.86	1.88	-0.09	2.382	
17-Feb-17	N11	20-Jan-17	Halocline	17X180270	<MDL	<MDL	<0.0000019		1700	<0.05	<0.05	0.5	1.62	<1.25	<0.03	2.5	2.2	<5	1.1	13.1	32636	14.16	7.54	19.63	0.14	21.27	Nitrite RDL 1.25 mg/L
17-Feb-17	N12	20-Jan-17	Surface	17X180270	<MDL	<MDL	<0.0000019		155	<0.05	<0.05	<0.4	0.11	0.65	<0.03	5.6	5.5	<5	2	14.5	Probes on Hydrolab frozen, in situ measurements could not be collected						
17-Feb-17	N12	20-Jan-17	Halocline	17X180270	<MDL	<MDL	<0.0000019		1870	<0.05	<0.05	<0.4	<0.05	<1.25	<0.03	4.7	4.6	<5	1.1	12.6	Probes on Hydrolab frozen, in situ measurements could not be collected; Nit						
17-Feb-17	N6	20-Jan-17	Surface	17X180270	0.010	0.019	<0.0000019		<2	<0.05	<0.05	1	<0.05	<0.05	<0.03	4.6	4.7	21	28.2	13.5	26	21.2	8.6	0.01	0.02	0.017	
17-Feb-17	N8	20-Jan-17	Surface	17X180270	<MDL	<MDL	<0.0000019		11	<0.05	<0.05	0.5	<0.05	<0.05	0.14	4.7	4.4	7	16.2	13.4	377	18.5	8.41	0.18	0	0.246	
17-Feb-17	N8	20-Jan-17	Halocline	17X180270	<MDL	<MDL	<0.0000019		1080	<0.05	<0.05	0.5	0.49	6.37	<0.03	9.4	9.3	11	5.1	12.7	25876	12.5	7.4	15.31	1.3	16.8	
17-Feb-17	N9	20-Jan-17	Surface	17X180270	<MDL	<MDL	<0.0000019		118	<0.05	<0.05	<0.4															

Laboratory Analysis																	In Situ											
Date Entered	Sample Site	Sample Date	Sample Depth	AGAT Work Order #	Dissolved MeHg (ng/L) 0.01*	Total MeHg (ng/L) 0.01*	Low Level THg (mg/L) 0.0000019	Low Level DHg (mg/L) 0.0000025	Sulphate (mg/L) 2	Sulphide (mg/L) 0.05	Ammonia as N (mg/L) 0.03	Total Kjeldahl Nitrogen as N (mg/L) 0.4	Nitrate as N (mg/L) 0.05	Nitrite as N (mg/L) 0.05	Total Phosphorous as P (mg/L) 0.03	Total Organic Carbon (mg/L) 0.5	Dissolved Organic Carbon (mg/L) 0.5	Total Suspended Solids (mg/L) 5	Turbidity (NTU) 0.1	Dissolved Oxygen (mg/L) 0.1	Conductivity (uS/cm) NA	Dissolved Oxygen (mg/L) NA	pH NA	Salinity (ppt) NA	Temperature (°C) NA	Total Dissolved Solids (mg/L) NA	Notes	
				RDL																								*Method Detection Limit (MDL)
15-Mar-17	N4	22-Feb-17	Mid	17X189629	0.012	0.014	<0.0000019		5	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.4	4.4	<5	6.4	11.6	19	16.1	6.47	0.01	0	0.013		
15-Mar-17	N4	22-Feb-17	Bottom	17X189629	0.010	0.010	<0.0000019		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.4	4.1	<5	6.7	11.5	19	16.73	6.45	0.01	0	0.013		
15-Mar-17	N5	22-Feb-17	Surface	17X189629	0.014	0.037	<0.0000019		<2	<0.05	<0.05	<0.4	0.06	<0.05	<0.03	3.9	4	227	66.9	11.8	20	22.4	7.08	0.01	0	0.013		
15-Mar-17	N6	22-Feb-17	Surface	17X189629	0.011	0.015	<0.0000019		<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	4.1	3.9	9	11.8	11.5	19	20.2	6.8	0.01	0	0.013		
15-Mar-17	N7	22-Feb-17	Surface	17X189629	0.010	0.011	<0.0000019		<2	<0.05	<0.05	<0.4	0.06	<0.05	<0.03	4.2	4	<5	14.7	11.3	19	19.92	7.38	0.01	0	0.013		
15-Mar-17	N8	22-Feb-17	Surface	17X189629	0.011	0.010	0.0000034		8	<0.05	<0.05	<0.4	<0.05	0.07	<0.03	3.9	3.8	9	9.7	12.2	208	18.43	7.97	0.1	0	0.135		
15-Mar-17	N8	22-Feb-17	Halocline	17X189629	<MDL	0.010	0.000021		9	<0.05	<0.05	<0.4	<0.05	0.09	<0.03	4	4	<5	9.7	11.9	15343	14.13	6.99	8.79	1.12	10.02		
15-Mar-17	N9	22-Feb-17	Surface	17X189629	<MDL	<MDL	<0.0000019		51	<0.05	0.05	<0.4	<0.05	0.47	<0.03	4.2	4.2	<5	9	11.6	1209	18.14	7.55	0.59	0.03	0.786		
15-Mar-17	N9	22-Feb-17	Halocline	17X189629	<MDL	0.010	<0.0000019		844	<0.05	<0.05	<0.4	<0.19	<0.05	<0.03	3.7	3.1	<5	2.5	11.4	19910	14.52	7	11.46	0.95	12.88		
17-Apr-17	N1	28-Feb-17	Surface	17X191581	<MDL	0.018	<0.0000019		<2	<0.05	<0.03	0.6	<0.05	<0.05	<0.03	3.8	2.8	39	4.9	11.3	18	19.2	7.16	0.01	0	0.012	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	28-Feb-17	Surface	17X191581	0.011	0.015	<0.0000019		63	<0.05	<0.03	1.1	<0.05	<0.05	<0.03	4.3	4	<5	5.3	12.1	1405	13.46	7.12	0.69	-0.03	0.914	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	28-Feb-17	Halocline	17X191581	0.010	0.02	<0.0000019		64	<0.05	<0.03	0.4	0.13	0.53	<0.03	4.3	4	6	5.5	12.6	19122	12.44	6.68	11.06	0.38	12.5	Ammonia RDL = 0.03mg/L	
17-Apr-17	N4	28-Feb-17	Surface	17X191581	0.010	0.015	<0.0000019		<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3	3	7	4.8	12.1	17	19.2	7.02	0.01	0	0.011	Ammonia RDL = 0.03mg/L	
17-Apr-17	N4	28-Feb-17	Mid	17X191581	0.010	0.011	<0.0000019		<2	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	3.1	3.3	<5	5.2	11.4	18	14.5	6.99	0.01	0.01	0.011	Ammonia RDL = 0.03mg/L	
17-Apr-17	N4	28-Feb-17	Bottom	17X191581	0.010	0.018	<0.0000019		<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	3.2	3.3	<5	5.2	11.8	18	15.2	7.04	0.01	0.01	0.012	Ammonia RDL = 0.03mg/L	
17-Apr-17	N5	28-Feb-17	Surface	17X191581	0.013	0.142	<0.0000019		<2	<0.05	<0.03	0.7	<0.05	<0.05	<0.03	3.8	2.8	1230	635	12.7	21	14.41	7.78	0.01	0	0.014	Ammonia RDL = 0.03mg/L	
17-Apr-17	N6	1-Mar-17	Surface	17X192017	0.012	0.019	<0.0000019		<2	<0.05	<0.03	0.6	<0.05	<0.05	<0.03	4.3	3.7	9	9.8	11.7	23	22.01	7.46	0.01	0.01	0.015	Ammonia RDL = 0.03mg/L	
17-Apr-17	N1	7-Mar-17	Surface	17X193881	0.017	0.026	<0.0000019	<0.0000025	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	3.2	3.1	<5	3.2	11.6	16		7.34	0.01	-0.01	0.01	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	7-Mar-17	Surface	17X193881	0.010	0.011	<0.0000019	<0.0000025	52	<0.05	<0.03	0.6	<0.05	0.5	<0.03	4.3	4.1	6	7.6	11.9	1205	16.9	6.79	0.58	-0.04	0.794	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	7-Mar-17	Halocline	17X193881	0.012	0.018	<0.0000019	<0.0000025	53	<0.05	<0.03	<0.4	<0.05	0.51	<0.03	4.2	4.3	<5	7.8	12.1	26522	12.37	6.87	16.88	1.18	17.29	Ammonia RDL = 0.03mg/L	
17-Apr-17	N11	7-Mar-17	Surface	17X193881	0.010	0.012	<0.0000019	<0.0000025	126	<0.05	<0.03	0.8	<0.05	<0.05	<0.03	4.2	4	<5	7.5	12.3	2040	13.33	8.3	1.01	-0.1	1.316	Ammonia RDL = 0.03mg/L	
17-Apr-17	N11	7-Mar-17	Halocline	17X193881	<MDL	<MDL	0.0000083	<0.0000025	1300	<0.05	<0.03	0.5	<5.0	<5.0	<0.03	5.7	5.2	5	2.2	11.7	26480	11.7	7.67	16.03	1.36	17.44	Ammonia RDL = 0.03mg/L; Nitrate/Nitrite RDL = 5.0 mg/L	
17-Apr-17	N12	7-Mar-17	Surface	17X193881	0.010	0.01	<0.0000019	<0.0000025	118	<0.05	<0.03	1.3	<0.05	<0.05	<0.03	4	4.1	<5	5.6	13	2746	18.41	8	1.39	-0.07	1.784	Ammonia RDL = 0.03mg/L	
17-Apr-17	N12	7-Mar-17	Halocline	17X193881	<MDL	0.01	<0.0000019	<0.0000025	479	<0.05	<0.03	0.8	<2.5	<2.5	0.1	7.7	4.9	<5	3.5	12.2	27313	14.42	7.37	16.35	0.95	17.82	Ammonia RDL = 0.03mg/L; Nitrate/Nitrite RDL = 2.5 mg/L	
17-Apr-17	N13	7-Mar-17	Surface	17X193881	<MDL	<MDL	<0.0000019	<0.0000025	1700	<0.05	<0.03	1	<5.0	<5.0	0.06	3.1	3.3	<5	1.7	13	36805	16.22	8.16	22.31	0.37	23.89	Ammonia RDL = 0.03mg/L; Nitrate/Nitrite RDL = 5.0 mg/L	
17-Apr-17	N4	7-Mar-17	Surface	17X193881	0.016	0.14	0.0000049	<0.0000025	<2	<0.05	<0.03	0.4	<0.05	<0.05	1.12	3.4	3.3	1170	1510	12.6	6		7.46	0.01	0	0.004	Ammonia RDL = 0.03mg/L	
17-Apr-17	N5	7-Mar-17	Surface	17X193881	0.011	0.064	<0.0000019	<0.0000025	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.88	3.3	3.6	594	462	12.7	4	13.77	7.34	0.01	0	0.003	Ammonia RDL = 0.03mg/L	
17-Apr-17	N6	7-Mar-17	Surface	17X193881	0.012	0.014	<0.0000019	<0.0000025	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3.7	3.5	<5	11.4	12	20	17.46	7.33	0.01	0.02	0.013	Ammonia RDL = 0.03mg/L	
17-Apr-17	N7	7-Mar-17	Surface	17X193881	0.010	0.029	0.0000054	<0.0000025	<2	<0.05	<0.03	0.4	0.06	<0.05	0.08	3.4	3.2	58	52.5	11.9	22	16.22	7.17	0.01	0.01	0.014	Ammonia RDL = 0.03mg/L	
17-Apr-17	N8	8-Mar-17	Surface	17X194190	<MDL	0.014	0.0000031		15	<0.05	0.06	1	<0.05	<0.05	<0.03	4	3.7	<5	8.1	12.4	385	16.19	8.25	0.18	-0.01	0.246	Ammonia RDL = 0.03mg/L	
17-Apr-17	N8	8-Mar-17	Halocline	17X194190	0.011	0.01	0.0000033		87	<0.05	<0.05	0.7	<0.05	0.71	<0.03	3.5	3.3	6	9.4	11.9	22126	10.51	7.47	12.84	1.51	14.57	Ammonia RDL = 0.03mg/L	
17-Apr-17	N9	8-Mar-17	Surface	17X194190	0.010	0.016	<0.0000019		88	<0.05	<0.05	1	<0.05	<0.05	<0.03	3.5	3	<5	9	11.7	2006	20.17	7.69	1.01	-0.08	1.308	Ammonia RDL = 0.03mg/L	
17-Apr-17	N9	8-Mar-17	Halocline	17X194190	<MDL	<MDL	0.0000044		1490	<0.05	<0.05	0.8	4.91	<0.05	<0.03	9.2	9.6	8	1.6	11.3	32612	10.54	7.8	19.7	1.93	21.19	Ammonia RDL = 0.03mg/L	
17-Apr-17	N1	17-Mar-17	Surface	17X197298	0.011	0.018	<0.0000019		<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3.7	3.4	<5	2.8	11.9	19	15.4	8.6	0.01	0.01	0.013	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	17-Mar-17	Surface	17X197298	<MDL	0.022	<0.0000019		62	<0.05	<0.03	<0.4	<0.05	0.61	<0.03	4.6	4.5	<5	5.8	12.7	887	18.85	7.07	0.49	-0.05	0.65	Ammonia RDL = 0.03mg/L	
17-Apr-17	N10	17-Mar-17	Halocline	17X197298	<MDL	<MDL	<0.0000019		860	<0.05	<0.03	<0.4	0.09	<5.0	<0.03	2.3	2.5	<5	2.5	12.6	27988	12.35	7.22	17.2	1.25	18.35	Ammonia RDL = 0.03mg/L	
17-Apr-17	N11	17-Mar-17	Surface	17X197298	<MDL	0.023	<0.0000019		76	<0.05	<0.03	<0.4	0.12	0.56	<0.03	3.8	3.7	<5	8.9	13	1531	16.03	7.73	0.75	-0.07	0.995	Ammonia RDL = 0.03mg/L	
17-Apr-17	N11	17-Mar-17	Halocline	17X197298	<MDL	<MDL	<0.0000019		1120	<0.05	<0.03	<0.4	0.12	<5.0	0.11	1.1	1.6	7	3.1	12.2	31576	10.78	7.22	19.14	1.7	20.58	Ammonia RDL = 0.03mg/L	
17-Apr-17	N12	17-Mar-17	Surface	17X197298	<MDL	<MDL	<0.0000019		158	<0.05	<0.03	<0.4	<0.05	<0.05	0.08	4.5	4.3	<5	4	12.6	3100	18.37	8.37	1.58	-0.08	2.018	Ammonia RDL = 0.03mg/L	
17-Apr-17	N12	17-Mar-17	Halocline	17X197298	<MDL	0.012	<0.0000019		1230	<0.05	<0.03	<0.4	0.23	<5.0	0.04	1.6	1.5	<5	2.5	12.5	33831	12.68	7.67	20.54	1.94	21.99	Ammonia RDL = 0.03mg/L	
17-Apr-17	N13	17-Mar-17	Surface	17X197298	<MDL	0.01	<0.0000019		1900	<0.05	<0.03	<0.4	<0.05	<5.0	0.07	<0.5	<0.5	7	1.2	12.1	39562	9.85	7.36	23.98	-1.11	25.77	Ammonia RDL = 0.03mg/L	
17-Apr-17	N4	17-Mar-17	Surface	17X197298	0.015	0.023	<0.0000019		<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3.9	4.1	6	13.6	12.7	20	13.2	7.62	0.01	0.01	0.012	Ammonia RDL = 0.03mg/L	
17-Apr-17	N4	17-Mar-17	Mid	17X197298	0.011	0.016	<0.0000019		<2	<0.05	<0.03	<0.4	<0.05	&														

Laboratory Analysis																		In Situ											
Date Entered	Sample Site	Sample Date	Sample Depth	AGAT Work Order #	Dissolved MeHg (ng/L) 0.01*	Total MeHg (ng/L) 0.01*	Low Level THg (mg/L) 0.0000019	Low Level DHg (mg/L) 0.0000025	Sulphate (mg/L) 2	Sulphide (mg/L) 0.05	Ammonia as N (mg/L) 0.03	Total Kjeldahl Nitrogen as N (mg/L) 0.4	Nitrate as N (mg/L) 0.05	Nitrite as N (mg/L) 0.05	Total Phosphorous as P (mg/L) 0.03	Total Organic Carbon (mg/L) 0.5	Dissolved Organic Carbon (mg/L) 0.5	Total Suspended Solids (mg/L) 5	Turbidity (NTU) 0.1	Dissolved Oxygen (mg/L) 0.1	Conductivity (uS/cm) NA	Dissolved Oxygen (mg/L) NA	pH NA	Salinity (ppt) NA	Temperature (°C) NA	Total Dissolved Solids (mg/L) NA	Notes		
					RDL																							*Method Detection Limit (MDL)	
16-May-17	N5	6-Apr-17	Surface	17X203307	0.010	0.018	<0.0000019	<2	<0.05	<0.03	0.6	0.07	<0.05	0.11	4	3.7	50	31.4	11.5	18	12.51	7.85	0	-0.12	0.0113				
16-May-17	N6	6-Apr-17	Surface	17X203307	0.014	0.017	<0.0000019	<2	<0.05	<0.03	0.8	0.06	<0.05	0.21	3.8	4.2	12	13.6	12.4	14	12.66	7.87	0	-0.11	0.0091				
16-May-17	N7	6-Apr-17	Surface	17X203307	0.011	0.014	<0.0000019	<2	<0.05	<0.03	0.4	0.08	<0.05	0.16	4.1	4	88	16.9	12.2	18	12.54	7.8	0	-0.11	0.0117				
16-May-17	N10	6-Apr-17	Surface	17X203307	0.010	0.012	<0.0000019	51	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.9	4.6	<5	3.7	11.8	1382	11.7	7.38	0.73	-0.15	0.884				
16-May-17	N10	6-Apr-17	Halocline	17X203307	0.010	0.011	<0.0000019	77	<0.05	<0.03	0.6	<0.50	<0.50	<0.03	5.1	5.1	<5	3.8	11.9	14750	10.87	6.33	8.75	0.07	9.649	Nitrate/Nitrite MDL = 0.5 mg/L			
16-May-17	N11	6-Apr-17	Surface	17X203307	0.010	0.010	<0.0000019	97	<0.05	<0.03	0.7	<0.50	<0.50	0.03	4.1	3.8	10	4.6	12.2	2070	12.28	7.7	1.11	-0.19	1.326	Nitrate/Nitrite MDL = 0.5 mg/L			
16-May-17	N11	6-Apr-17	Halocline	17X203307	<MDL	0.010	<0.0000019	1090	<0.05	<0.03	0.8	<5.0	<5.0	<0.03	1.1	1.1	6	2.8	11.2	12030	10.79	6.99	5.36	-0.32	7.944	Nitrate/Nitrite MDL = 5.0 mg/L			
16-May-17	N12	6-Apr-17	Surface	17X203307	<MDL	<MDL	<0.0000019	109	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	3.7	3.6	8	3.3	11.5	3053	12.16	8.6	1.65	-0.19	1.955				
16-May-17	N12	6-Apr-17	Halocline	17X203307	<MDL	<MDL	<0.0000019	1330	<0.05	<0.03	0.6	<5.0	<5.0	0.05	1.1	1.1	10	1.5	10.4	17700	10.46	7.68	10.57	0.51	11.34	Nitrate/Nitrite MDL = 5.0 mg/L			
16-May-17	N13	6-Apr-17	Surface	17X203307	<MDL	0.010	<0.0000019	1560	<0.05	<0.03	0.6	<5.0	<5.0	<0.03	1.1	0.8	<5	1.7	13.5	34220		8.4	21.57	-0.54	22.02	Nitrate/Nitrite MDL = 5.0 mg/L			
16-May-17	N8	7-Apr-17	Surface	17X203938	0.013	0.018	<0.0000019	17	<0.05	<0.03	0.5	<0.05	<0.05	0.19	4.1	3.8	7	7.7	10.9	387	12.6	7.92	0.19	-0.13	0.2474				
16-May-17	N8	7-Apr-17	Halocline	17X203938	0.010	0.016	<0.0000019	61	<0.05	<0.03	1.1	<0.05	<0.05	0.37	4	4	5	8.9	11.5	1038	12.68	7.51	0.56	-0.14	0.668				
16-May-17	N9	7-Apr-17	Surface	17X203938	0.010	0.013	<0.0000019	156	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	5.1	4.6	8	6.7	11.6	2606	12.24	7.65	1.38	-0.07	1.643				
16-May-17	N9	7-Apr-17	Halocline	17X203938	0.010	0.010	<0.0000019	766	<0.05	<0.03	0.5	<5.0	<5.0	0.04	3	3.5	7	4.4	11.7	9618	11.5	7.04	5.43	0.39	6.153	Nitrate/Nitrite MDL = 5.0 mg/L			
16-May-17	N1	11-Apr-17	Surface	17X204687	0.010	0.019	<0.0000019	<2	<0.05	<0.03	0.8	<0.05	<0.05	0.14	4.9	4.1	<5	1.1	11.6	44	16.02	8.66	0.01	3.66	0.027				
16-May-17	N4	11-Apr-17	Surface	17X204687	0.040	0.076	<0.0000019	<2	<0.05	0.04	1.7	0.09	<0.05	0.09	4.1	3.7	<5	0.9	3.4	12.3	20	13.58	7.27	0.01	-0.08	0.013			
16-May-17	N4	11-Apr-17	Mid	17X204687	0.012	0.022	<0.0000019	<2	<0.05	<0.03	2.4	0.07	<0.05	0.15	4.1	4.2	<5	5.1	11.4	20	13.56	7.29	0.01	-0.08	0.013				
16-May-17	N4	11-Apr-17	Bottom	17X204687	0.011	0.017	<0.0000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.13	4.2	4.3	<5	5	11.5	19	20.22	7.97	0.01	-0.07	0.013				
16-May-17	N5	11-Apr-17	Surface	17X204687	0.020	0.037	<0.0000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	3.4	3.3	67	40.2	12.5	20	19.55	7.96	0.01	-0.07	0.013				
16-May-17	N6	11-Apr-17	Surface	17X204687	0.012	0.019	<0.0000019	<2	<0.05	<0.03	<0.4	0.07	<0.05	0.13	3.9	3.8	<5	10.8	12.2	23	17.74	8.47	0.01	-0.07	0.015				
16-May-17	N7	11-Apr-17	Surface	17X204687	0.021	0.036	<0.0000019	<2	<0.05	<0.03	<0.4	0.07	<0.05	0.04	3.5	3.1	14	11.6	12.1	22	11.33	7.66	0.01	-0.09	0.014				
16-May-17	N8	12-Apr-17	Surface	17X205156	<MDL	0.010	<0.0000019	9	<0.05	<0.03	<0.4	<0.05	<0.05	0.08	4.4	4.2	11	20.5	12.5	251	16.69	8.34	0.12	-0.08	0.165				
16-May-17	N8	12-Apr-17	Halocline	17X205156	<MDL	0.010	<0.0000019	133	<0.05	<0.03	<0.4	0.12	<0.05	<0.03	4.6	4.5	<5	6	12.1	16580	13.22	7.22	9.01	1.02	10.32				
16-May-17	N9	12-Apr-17	Surface	17X205156	0.017	0.051	<0.0000019	68	<0.05	<0.03	0.6	0.06	<0.05	0.19	2.9	2.8	<5	1.7	12.2	3443	16.85	7.72	1.76	-0.07	2.237				
16-May-17	N9	12-Apr-17	Halocline	17X205156	<MDL	<MDL	<0.0000019	985	<0.05	<0.03	0.4	<0.05	<5.00	0.2	10.2	6.3	8	3.2	11.9	22198	12.81	7.24	12.97	1.08	14.44				
16-May-17	N10	12-Apr-17	Surface	17X205156	<MDL	0.014	<0.0000019	65	<0.05	<0.03	1.2	<0.05	<0.05	<0.03	5.7	5.5	<5	4.4	11.4	1659	16.25	7.95	0.82	-0.11	1.077				
16-May-17	N10	12-Apr-17	Halocline	17X205156	<MDL	<MDL	<0.0000019	1060	<0.05	<0.03	0.6	<0.05	<5.00	0.2	3	2.3	<5	1.3	11.4	24740	12.53	7.31	14.66	0.84	16.2				
16-May-17	N11	12-Apr-17	Surface	17X205156	<MDL	0.011	<0.0000019	80	<0.05	<0.03	0.9	<0.05	<0.05	<0.03	4.5	5	<5	6.3	12.1	1905	18.45	8.21	0.95	-0.12	1.238				
16-May-17	N11	12-Apr-17	Halocline	17X205156	<MDL	<MDL	<0.0000019	740	<0.05	<0.03	0.8	<0.05	<5.00	<0.03	3.5	3.6	<5	3.6	11.2	27653	11.9	7.46	16.44	1.31	18.01				
16-May-17	N12	12-Apr-17	Surface	17X205156	<MDL	0.011	<0.0000019	105	<0.05	<0.03	1	<0.05	<0.05	0.15	5.2	5.1	<5	4.4	11.8	2483	19.78	8.14	1.25	-0.12	1.615				
16-May-17	N12	12-Apr-17	Halocline	17X205156	<MDL	<MDL	<0.0000019	1090	<0.05	<0.03	1.1	<0.05	<5.00	<0.03	2.4	2.4	<5	2.6	10.9	33965	13.11	7.57	20.64	1.65	22.08				
16-May-17	N13	12-Apr-17	Surface	17X205156	<MDL	<MDL	<0.0000019	1840	<0.05	<0.03	0.9	<5.00	<5.00	<0.03	1.3	1.1	12	0.8	11.2	38618	16.52	7.64	23.3	-0.94	25.09	Nitrate/Nitrite MDL = 5.0 mg/L			
16-May-17	N1	18-Apr-17	Surface	17X206489	0.010	0.015	<0.0000019	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.5	4.4	<3	0.6	12.2	21	16.2	8.72	0	-0.04	0.014	TSS MDL = 3.0mg/L			
16-May-17	N4	18-Apr-17	Surface	17X206489	0.018	0.019	<0.0000019	<2	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.8	5	<3	8	12.4	32	14.62	7.8	0	-0.09	0.021	TSS MDL = 3.0mg/L			
16-May-17	N4	18-Apr-17	Mid	17X206489	0.014	0.010	<0.0000019	<2	<0.05	<0.03	0.8	<0.05	<0.05	<0.03	4.6	4.4	4	5.8	12.3	19	13.02	7.54	0	-0.1	0.013	TSS MDL = 3.0mg/L			
16-May-17	N4	18-Apr-17	Bottom	17X206489	0.010	0.014	<0.0000019	<2	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	4.6	4.5	3	5.3	12.5	19	13.27	7.53	0	-0.1	0.013	TSS MDL = 3.0mg/L			
16-May-17	N5	18-Apr-17	Surface	17X206489	0.018	0.031	<0.0000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	0.22	4.4	4.2	4	11.7	13.1	14	17.3	7.3	0	-0.09	0.011	TSS MDL = 3.0mg/L			
16-May-17	N6	18-Apr-17	Surface	17X206489	0.011	0.011	<0.0000019	<2	<0.05	<0.03	<0.4	<0.05	<0.05	<0.03	4.3	4.4	24	15.2	12.3	35	13.23	7.47	0	-0.06	0.023	TSS MDL = 3.0mg/L			
16-May-17	N7	18-Apr-17	Surface	17X206489	0.015	0.011	<0.0000019	<2	<0.05	<0.03	0.6	<0.05	<0.05	0.05	4.3	4.3	39	29.7	12.9	23	15.72	7.59	0	-0.09	0.015	TSS MDL = 3.0mg/L			
16-May-17	N10	18-Apr-17	Surface	17X206489	<MDL	0.020	<0.0000019	61	<0.05	<0.03	0.6	<0.05	<0.05	<0.03	5.4	5.1	<3	5.5	12.9	1134	11.02	7.3	0.55	-0.16	0.739	TSS MDL = 3.0mg/L			
16-May-17	N10	18-Apr-17	Halocline	17X206489	<MDL	<MDL	<0.0000019	67	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	5.6	5.3	<3	4.3	12.8	29874	9.93	6.56	17.81	1.16	19.35	TSS MDL = 3.0mg/L			
16-May-17	N11	18-Apr-17	Surface	17X206489	0.010	0.010	<0.0000019	79	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.7	4.4	<3	5.5	13	1778	15.98	8.2	0.88	-0.17	1.156	TSS MDL = 3.0mg/L			
16-May-17	N11	18-Apr-17	Halocline	17X206489	0.010	<MDL	<0.0000019	303	<0.05	<0.03	0.4	<0.05	<0.05	<0.03	4.8	4.8	4	4.3	12.7	27078	12.22	7.36	16.11	1.21	17.62	TSS MDL = 3.0mg/L			
16-May-17	N12	18-Apr-17	Surface	17X206489	<MDL	0.041	<0.0000019	103	<0.05	<0.03	0.5	<0.05	<0.05	<0.03	4.8	4.6	<3	3.6	12.7	2622	15.03	8.23	1.32	-0.18	1.703	TSS MDL = 3.0mg/L			
16-May-17	N12	18-Apr-17	Halocline	17X206489	<MDL	<MDL	<0.0000019	1430	<0.05	<0.03	0.4	<5.00	<5.00	<0.03	9.4	4.6													