

Sample Site	Sample Date	Sample Depth	Sample Type	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis															In Situ										Notes		
						Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low level THg (Flett; ng/L)	Low Level THg (mg/L)	Low Level Dg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N (mg/L)	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorous as P (mg/L)	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)		pH	Total Dissolved Solids (mg/L)
						RDL	0.01*	0.01*	0.05	0.000019	0.000025	2	0.05	0.03	0.4	0.05	0.05	0.03	0.002	0.5	0.5	5	0.1	0.1	1	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)	
N11	6-Feb-17	Surface	Impoundment		17X184860	<MDL	0.013	<MDL	<0.000019	90	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	5.1	4.8	11	9.1	11.6	1.52	-0.07	2965	20.49	7.22	1.937					
N11	6-Feb-17	Halocline	Impoundment		17X184860	<MDL	<MDL	<0.000019	1400	<0.05	<0.05	<0.4	3.11	12.4	<0.03	<0.03	3.9	4.4	13	2.1	11.2	16.13	0.24	26361	23	7.35	17.05						
N12	6-Feb-17	Surface	Impoundment		17X184860	<MDL	<MDL	<0.000019	1250	<0.05	<0.05	<0.4	0.4	12.4	<0.03	<0.03	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	DO meter maybe freezing and leading to erroneous results
N12	6-Feb-17	Halocline	Impoundment		17X184860	<MDL	<MDL	<0.000019	1250	<0.05	<0.05	<0.4	0.44	12.4	<0.03	<0.03	4.8	4.8	4.8	4.8	4.8	4.8	14.58	-0.12	21142	32.17*	7.69	15.66				Nitrite RDL = 1.5mg/L; DO meter maybe freezing and leading to erroneous results	
N13	6-Feb-17	Surface	Impoundment		17X184860	<MDL	<MDL	<0.000019	1740	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.3	4.1	<5	1.0	11.5	24.88	-1.13	40880	33.79*	7.66	26.64				DO meter maybe freezing and leading to erroneous results		
N4	6-Feb-17	Surface	Impoundment		17X184860	0.010	0.025	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.1	0.1	4.7	4.5	389	17.8	11.3	0.1	0.03	25	22.1	7.75	0.017						
N5	6-Feb-17	Surface	Impoundment		17X184860	<MDL	0.019	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.06	0.06	4.6	4.4	50	17.5	11.4	0.01	0.00	26	23.42	7.84	0.017						
N6	6-Feb-17	Surface	Impoundment		17X184860	<MDL	0.013	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.03	0.03	4.6	4.5	33	27.6	11.5	0.03	0.03	33	21.2	7.76	0.017						
N7	6-Feb-17	Surface	Impoundment		17X184860	<MDL	0.010	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.8	4.5	17	19.3	11.4	0.01	-0.03	26	14.35	8.3	0.021						
N8	7-Feb-17	Surface	Impoundment		17X185400	0.010	0.013	<0.000035	8	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.6	4.4	<5	14.6	13.4	0.03	0.10	306	30.3*	8.19	0.186					DO meter maybe freezing and leading to erroneous results	
N8	7-Feb-17	Halocline	Impoundment		17X185400	0.010	0.013	<0.000019	8	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.8	4.6	6	14.2	13.5	0.13	0.03	877	16.26	7.26	3.5						
N9	7-Feb-17	Surface	Impoundment		17X185400	<MDL	0.011	<0.000019	75	<0.05	<0.05	<0.4	<0.05	<0.05	0.06	0.06	4.6	4.5	6	11.6	13.0	0.91	-0.12	1833	22.1	7.61	1.196						
N9	7-Feb-17	Halocline	Impoundment		17X185400	<MDL	0.010	<0.000019	80	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.9	4.5	6	13.1	13.0	0.58	0.58	31857	15.2	7.71	13.06						
N1	14-Feb-17	Surface	Impoundment		17X187415	0.010	0.015	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.4	4.0	<5	1.7	13.8	0.00	0.20	24	22.2	6.41	0.016						
N10	14-Feb-17	Surface	Impoundment		17X187415	<MDL	0.013	<0.000019	66	<0.05	<0.05	0.5	<0.05	<0.05	<0.03	<0.03	5.3	5.1	<5	6.2	14.2	1.10	-0.06	2170	22.3	7.03	1.429						
N10	14-Feb-17	Halocline	Impoundment		17X187415	0.013	0.014	<0.000019	78	<0.05	<0.05	1	<0.05	<0.05	<0.03	<0.03	5.4	5.2	<5	6.0	14.0	1.46	-0.07	2847	14.8	7.16	1.865						
N11	14-Feb-17	Surface	Impoundment		17X187415	0.010	0.010	<0.000019	78	<0.05	<0.05	0.5	<0.05	0.45	<0.03	<0.03	4.6	4.7	<5	9.1	13.9	1.91	-0.06	3853	21.27	8	2.403						
N11	14-Feb-17	Halocline	Impoundment		17X187415	<MDL	0.013	<0.000019	76	<0.05	<0.05	0.5	<0.05	<0.05	<0.03	<0.03	4.6	4.5	<5	9.4	12.8	0.7	0.06	31857	15.2	7.71	13.06						
N12	14-Feb-17	Surface	Impoundment		17X187415	<MDL	<MDL	<0.000019	115	<0.05	<0.05	0.5	<0.05	<0.05	<0.03	<0.03	4.7	4.8	<5	3.7	12.6	1.68	-0.06	3293	21.7	7.9	2.132						
N12	14-Feb-17	Halocline	Impoundment		17X187415	<MDL	<MDL	<0.000019	1200	<0.05	<0.05	0.5	0.43	10.6	<0.03	<0.03	5.6	5.8	<5	1.1	12.8	19.52	0.82	32440	12.31	7.8	21.08					Nitrite RDL = 1mg/L	
N13	14-Feb-17	Surface	Impoundment		17X187415	<MDL	<MDL	<0.000019	2030	<0.05	<0.05	1.9	<0.05	<2.50	<0.03	<0.03	4.5	3.4	23	1.5	13.8	-1.15	30.24	-1.15	49077	16.57	7.79	31.91					Nitrite RDL = 2.5mg/L
N4	14-Feb-17	Surface	Impoundment		17X187415	0.010	0.014	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	0.67	0.67	3.8	4.2	<5	8.6	12.6	0.01	0.01	24	20.4	7.45	0.016						
N6	14-Feb-17	Surface	Impoundment		17X187415	<MDL	0.016	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.3	4.1	<5	0.1	11.4	0.01	-0.05	27	13.7	7.4	0.017						
N7	14-Feb-17	Surface	Impoundment		17X187415	0.010	0.016	<0.000019	<2	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.2	4.1	9	22.7	13.2	0.01	0.01	24	17.9	7.3	0.018						
N5	15-Feb-17	Surface	Impoundment		17X187648	0.010	0.038	<0.000019	<2	<0.05	<0.08	<0.4	<0.05	<0.05	0.36	0.36	4.2	3.8	221	61.5	12.0	0.01	0.00	16	22.7	8.78	0.01						
N8	15-Feb-17	Surface	Impoundment		17X187648	0.010	0.012	<0.000019	13	<0.05	0.07	<0.4	<0.05	<0.05	<0.03	<0.03	3.8	3.8	28	17.3	12.2	0.19	-0.01	392	22.8	8.2	0.257						
N8	15-Feb-17	Halocline	Impoundment		17X187648	<MDL	0.010	<0.000019	749	<0.05	<0.05	<0.4	0.32	<1.00	<0.03	<0.03	5.1	5.0	9	9.1	11.5	5.85	0.76	8636	15.4	7.17	6.506					Nitrite RDL = 1mg/L	
N9	15-Feb-17	Surface	Impoundment		17X187648	0.011	0.011	<0.000019	67	<0.05	<0.05	<0.4	<0.05	<0.05	0.07	0.07	5.1	4.9	7	5.3	11.4	0.01	-0.02	2097	11.0	7.77	2.097						
N9	15-Feb-17	Halocline	Impoundment		17X187648	<MDL	<MDL	<0.000019	1350	<0.05	<0.05	<0.4	1.41	<1.50	<0.03	<0.03	5.6	5.8	9	4.3	11.3	0.88	13.54	0.88	23041	15.22	7.43	15.06					
N1	22-Feb-17	Surface	Impoundment		17X189629	0.050	0.044	<0.000019	<2	<0.05	<0.05	<0.4	0.08	<0.05	<0.03	<0.03	6.9	6.1	<5	1.2	11.3	0.01	0.01	28	17.7	6.9	0.018					Nitrite RDL = 1.5mg/L	
N10	22-Feb-17	Surface	Impoundment		17X189629	<MDL	0.012	<0.000019	50	<0.05	<0.05	<0.4	0.05	0.37	<0.03	<0.03	5.2	4.9	<5	6.0	11.6	1.02	-0.01	2100	15.7	7.04	1.338						
N10	22-Feb-17	Halocline	Impoundment		17X189629	0.010	0.015	<0.000019	54	<0.05	<0.05	<0.4	0.05	0.46	<0.03	<0.03	5.5	5.4	<5	6.0	12.2	11.79	-0.06	19400	12.35	6.75	13.15						
N11	22-Feb-17	Surface	Impoundment		17X189629	<MDL	<MDL	<0.000019	95	<0.05	<0.05	<0.4	<0.05	<0.05	<0.03	<0.03	4.9	4.7	8	6.8	12.7	0.56	0.56	2304	16.75	8.05	1.498						
N11	22-Feb-17	Halocline	Impoundment		17X189629	<MDL	<MDL	<0.000019	912	<0.05	<0.05	<0.4	1.44	<0.05	<0.03	<0.03	5.0	4.9	<5	3.7	11.9	0.81	-0.10	19289	16.68	7.5	10.88						
N12	22-Feb-17	Surface	Impoundment		17X189629	0.010	<MDL	<0.000019	150	<0.05	<0.05	<0.4	0.15	0.7	<0.03	<0.03	5.0	4.9	<5	4.6	12.5	1.57	-0.10	3032	22.3	7.44	1.997						
N12	22-Feb-17	Halocline	Impoundment		17X189629	0.010	0.010	<0.000019	153	<0.05	<0.05	<0.4	0.15	0.72	<0.03	<0.03	5.0	4.8	5	4.5	12.2	13.68	0.66	23191	15.76	7.18	15.3						
N13	22-Feb-17	Surface	Impoundment		17X189629	<MDL	0																										

Sample Site	Sample Date	Sample Depth	Sample Type	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis																	In Situ							Notes						
						Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low level THg (Flett; ng/L)	Low Level THg (mg/L)	Low Level Dg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorous as P (mg/L)	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	Salinity (ppt)	Temperature (°C)	Conductivity (uS/cm)		Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)			
						0.01*	0.01*	0.05	0.000019	0.000025	2	0.05	0.03	0.4	0.05	0.05	0.03	0.02	0.5	0.5	5	0.1	0.1	1		NA	NA	NA	NA		NA	NA	NA	NA	NA	NA
N6	14-Nov-17	Surface			RDL	0.01*	0.01*	0.05	0.000019	0.000025	2	0.05	0.03	0.4	0.05	0.05	0.03	0.02	0.5	0.5	5	0.1	0.1	1		NA	NA	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)		
N7	14-Nov-17	Surface			17X283934	0.021	0.025	1.74			0.9	<0.05	<0.03	<0.4	<0.05	<0.05	0.021	4.0	4.0	17	18.3	18.5	12.6	20	6.95	13	0.01	1.40	0.01	0.49						
N8	14-Nov-17	Surface			17X283934	0.021	0.025	1.71			0.9	<0.05	<0.03	<0.4	<0.05	<0.05	0.021	4.1	4.1	18	18.5	18.5	12.6	20	6.95	14	0.01	1.40	0.01	0.49						
N9	14-Nov-17	Surface			17X283934	<MDL	0.560	1.90			0.63	<0.05	0.03	0.9	<5	<5	0.235	16.4	4.4	322	126.0	10.0	17.00	17.00	7.14	5000	6.93	<0.67								
N10	14-Nov-17	Surface			17X283934	<MDL	0.032	0.64			1.380	<0.05	0.04	0.5	<10	<10	0.038	3.2	2.9	11	1.9	12.2	32000	7.87	19400	8.25	1.43									
N11	14-Nov-17	Surface			17X283934	<MDL	0.010	2.51			1450	<0.05	<0.03	0.6	<10	<10	0.096	2.3	2.1	63	43.1	11.7	32000	7.74	20200	20.07	-1.17									
N12	14-Nov-17	Surface			17X283934	<MDL	0.016	0.86			1480	<0.05	<0.03	0.5	<10	<10	0.032	2.0	2.1	66	6.8	12.3	32100	7.87	20500	19.85	-0.11									
N13	14-Nov-17	Surface			17X283934	<MDL	0.010	0.47			1900	<0.05	<0.03	<0.4	<10	<10	0.013	1.9	1.6	5	1.1	11.9	39000	7.90	26500	26.58	2.91									
N6	20-Nov-17	Surface			17X286136	0.020	0.023	1.43			1.1	<0.05	0.05	0.4	<0.05	<0.05	0.024	3.9	4.0	8	13.6	11.0	20	6.87	14	0.00	2.97									
N4	20-Nov-17	Surface			17X286136	0.022	0.030	1.34			0.9	<0.05	0.07	<0.4	<0.05	<0.05	0.034	4.1	4.0	10	11.9	11.0	29	6.92	18	0.00	2.39									
N1	21-Nov-17	Surface			17X286635	0.019	0.024	1.15			1	<0.05	0.08	<0.4	<0.05	<0.05	0.006	4.2	4.1	17	1.0	12.1	20	6.96	12	0.00	2.27									
N5	21-Nov-17	Surface			17X286635	0.019	0.028	1.76			0.8	<0.05	0.06	<0.4	<0.05	<0.05	0.343	4.3	4.3	201	18.1	11.9	20	7.00	16	0.00	2.63									
N7	21-Nov-17	Surface			17X286635	0.018	0.028	1.54			0.9	<0.05	0.06	<0.4	<0.05	<0.05	0.068	4.2	4.2	19	10.8	11.9	20	7.02	13	0.00	2.27									
N8	21-Nov-17	Surface			17X286635	0.022	0.043	2.31			0.72	<0.05	0.05	<0.4	<0.05	<0.05	0.096	4.4	4.1	85	17.6	12.3	1840	7.09	964	0.31	1.69									
N9	21-Nov-17	Surface			17X286635	0.013	0.022	1.35			451	<0.05	0.04	<0.4	<5	<5	0.067	3.5	3.6	43	20.3	11.8	10100	7.46	6000	5.55	0.70									
N10	22-Nov-17	Surface			17X287192	<MDL	<MDL	0.44			1570	<0.05	<0.03	<0.4	<10	<10	0.019	3.4	3.1	5	3.0	12.2	31900	7.75	21400	19.90	-1.09									
N11	22-Nov-17	Surface			17X287192	<MDL	0.010	0.48			1300	<0.05	<0.03	<0.4	<10	<10	0.017	2.3	4.9	3	2.3	11.7	27100	7.73	17900	16.69	-0.39									
N12	22-Nov-17	Surface			17X287192	<MDL	<MDL	0.41			1510	<0.05	<0.03	<0.4	<10	<10	0.014	2.1	4.8	2	1.1	11.4	31700	7.85	20700	19.79	-0.85									
N13	22-Nov-17	Surface			17X287192	0.012	0.016	2.39			1010	<0.05	0.04	<0.4	<10	<10	0.017	14.3	14.4	3	1.8	11.4	21600	7.58	13400	13.89	-0.64									
N1	28-Nov-17	Surface			17X289657	0.014	0.021	1.05			5	<0.05	0.05	0.6	<0.05	<0.05	0.008			3	1.7	12.4	141	7.77	46	0.00	0.24									
N4	28-Nov-17	Surface			17X289657	0.021	0.035	1.84			1	<0.05	0.05	0.7	<0.05	<0.05	0.011			16	3.3	12.2	22	7.18	11	0.00	-0.05									
N5	28-Nov-17	Surface			17X289657	0.017	0.022	1.62			0.9	<0.05	<0.03	<0.4	<0.05	<0.05	0.365			57	6.3	12.7	23	7.24	14	0.00	-0.11									
N6	28-Nov-17	Surface			17X289657	<MDL	<MDL	0.34			1	<0.05	<0.03	<0.4	<0.05	<0.05	0.017	0.023	0.6	5	0.7	13.2	20	7.17	10	0.00	-0.11									
N7	28-Nov-17	Surface			17X289657	0.021	0.025	1.17			1	<0.05	0.03	0.7	<0.05	<0.05	0.017			4	3.7	13.3	23	7.23	12	0.00	-0.11									
N8	28-Nov-17	Surface			17X289657	0.016	0.030	1.28			92	<0.05	0.05	0.6	<0.05	<0.05	0.028			25	10.5	13.2	2350	7.51	1260	0.89	-0.19									
N10	28-Nov-17	Surface			17X289657	<MDL	<MDL	0.41			1700	<0.05	0.03	0.6	<10	<10	0.018			5	2.4	12.9	32600	7.84	21800	20.53	-0.23									
N12	28-Nov-17	Surface			17X289657	<MDL	<MDL	0.42			1580	<0.05	0.05	0.6	<10	<10	0.017			7	2.1	12.5	31700	7.91	21100	19.64	-1.11									
N13	28-Nov-17	Surface			17X289657	<MDL	<MDL	0.34			1930	<0.05	<0.03	<0.4	<10	<10	0.018			5	0.8	12.5	37800	7.92	25500	23.88	0.45									
N1	5-Dec-17	Surface			17X291821	0.015	0.023	1.03			1.1	<0.05	0.05	0.7	<0.05	<0.05	<0.002	5.3	5.1	2	1.5	11.8	20	7.22	11	0.00	-0.09									
N5	5-Dec-17	Surface			17X291821	0.016	0.025	1.07			1	<0.05	<0.03	0.5	<0.05	<0.05	0.004	5.6	5.1	8	3.7	11.7	21	7.11	11	0.00	-0.06									
N6	5-Dec-17	Surface			17X291821	0.020	0.034	1.30			0.9	<0.05	<0.03	0.4	<0.05	<0.05	0.024	5.7	5.6	53	10.4	12.0	26	7.16	13	0.00	-0.05									
N7	5-Dec-17	Surface			17X291821	0.017	0.025	1.12			1.2	<0.05	<0.03	2.1	<0.05	<0.05	0.004	5.1	5.0	4	2.9	12.3	29	7.13	16	0.00	-0.70									
N8	5-Dec-17	Surface			17X291821	0.016	0.022	1.11			0.81	<0.05	0.03	0.5	<0.05	<0.05	0.011	5.0	4.3	13	2.8	12.3	1940	7.28	960	0.86	-0.18									
N9	5-Dec-17	Surface			17X291821	0.011	0.012	0.98			4.08	<0.05	<0.03	<0.4	<5	<5	0.004	2.5	2.5	2	1.8	12.5	10200	7.52	5830	8.80	-0.37									
N10	5-Dec-17	Surface			17X291821	<MDL	0.010	0.53			1230	<0.05	<0.03	<0.4	<10	<10	0.011	4.5	4.5	2	0.9	12.5	27100	7.78	17700	17.08	-0.93									
N11	5-Dec-17	Surface			17X291821	<MDL	0.011	0.73			862	<0.05	<0.03	0.4	<5	<5	0.009	4.7	4.6	2	1.6	12.3	20500	7.72	12500	12.42	-0.96									
N12	5-Dec-17	Surface			17X291821	<MDL	0.010	0.44			1400	<0.05	0.03	0.4	<10	<10	0.007	4.6	4.5	3	0.8	11.9	31200	7.81	20000	16.49	-1.17									
N13	5-Dec-17	Surface			17X291821	<MDL	0.010	0.35			1810	<0.05	0.03	0.5	<0.05	<0.05	0.008	4.5	4.6	10	11.9	12.0	40000	7.93	26800	26.10	0.66									

Sample Site	Sample Date	Sample Depth	Sample Type	Flett Work Order Number	AGAT Work Order #	Laboratory Analysis															In Situ							Notes					
						Dissolved MeHg (ng/L)	Total MeHg (ng/L)	Low Level THg (Flett; ng/L)	Low Level THg (mg/L)	Low Level DHg (mg/L)	Sulphate (mg/L)	Sulphide (mg/L)	Ammonia as N (mg/L)	Total Kjeldahl Nitrogen as N	Nitrate as N (mg/L)	Nitrite as N (mg/L)	Total Phosphorous as P (mg/L)	Total Phosphorus (Low Level; mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	Total Suspended Solids (mg/L)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Conductivity uhm/cm	pH	Total Dissolved Solids (mg/L)	Salinity (ppt)		Temperature (°C)	Conductivity (uS/cm)	Dissolved Oxygen (mg/L)	pH	Total Dissolved Solids (mg/L)
N12	8-Mar-18	Surface		18X318449	18X318435	0.01*	0.01*	0.05	0.000019	0.000025	2	0.05	0.03	0.4	0.05	0.05	0.03	0.002	0.5	0.5	5	0.1	0.1	1	1	NA	NA	NA	NA	NA	NA	NA	*Method Detection Limit (MDL)
N12	8-Mar-18	Halocline		18X318449	18X318435	0.010	0.010	0.75			322	<0.05	0.04	0.9	<5	<5		0.017	4.7	5.0	2	3.6	8050	7.52	4230	3.96	-0.20	15.71					
N13	8-Mar-18	Surface		18X318449	18X318435	<MDL	0.026	0.80			1350	<0.05	0.05	1.3	<10	<10		0.060	1.0	1.2	17	8.6	29400	7.80	17900	23.56	-1.20	12.84					
N1	21-Mar-18	Surface		18X322376	18X322375	0.017	0.026	1.64			1.1	<0.05	<0.03	0.7	<0.05	<0.05		0.019	5.6	4.9	20	7.3	28	7.27	15	0.01	0.40	14.15					
N4	21-Mar-18	Surface		18X322376	18X322375	0.017	0.021	0.78			0.9	<0.05	<0.03	0.5	0.07	<0.05		0.010	4.1	4.1	4	5.8	22	7.20	11	0.01	0.00	14.27					
N4	21-Mar-18	Mid		18X322376	18X322375	0.017	0.014	0.70			0.9	<0.05	0.06	0.5	<0.05	<0.05		0.010	4.4	4.2	5	6.2	23	7.20	12	0.01	0.00	14.38					
N4	21-Mar-18	Bottom		18X322376	18X322375	0.018	0.019	0.72			1	<0.05	0.05	0.6	<0.05	<0.05		0.010	3.9	4.4	6	6.8	24	7.19	12	0.01	0.00	14.32					
N5	21-Mar-18	Surface		18X322376	18X322375	0.015	0.022	0.79			0.9	<0.5	0.05	0.4	<0.05	<0.05		0.013	3.9	3.4	6	8.4	23	7.21	12	0.01	0.00	16.28					
N6	21-Mar-18	Surface		18X322376	18X322375	0.015	0.018	0.72			0.9	<0.5	0.03	0.6	<0.05	<0.05		0.017	4.3	4.0	10	9.5	22	7.21	11	0.01	0.00	16.88					
N7	21-Mar-18	Surface		18X322376	18X322375	0.014	0.014	0.79			0.9	<0.05	0.04	0.4	0.07	<0.05		0.026	3.9	3.7	19	11.6	22	7.19	12	0.01	0.00	16.3					
N8	22-Mar-18	Surface		18X322796	18X322795	0.014	0.016	0.70			9.3	<0.05	<0.03	0.6	<0.05	<0.05		0.009	4.0	3.9	2	7.2	269	7.25	132	0.13	0.00	15.54					
N8	22-Mar-18	Halocline		18X322796	18X322795	0.012	0.017	0.71			24.2	<0.05	<0.03	0.7	<0.05	<0.05		0.012	4.3	4.1	4	6.7	676	7.27	380	4.70	0.10	15.52					
N9	22-Mar-18	Surface		18X322796	18X322795	0.011	0.015	0.87			170	<0.05	0.03	0.5	<1.0	<1.0		0.010	5.3	5.1	4	4.9	4180	7.48	2220	1.53	-0.10	15.64					
N9	22-Mar-18	Halocline		18X322796	18X322795	0.010	0.011	0.61			691	<0.05	0.03	0.6	<5	<5		0.012	2.1	2.1	5	4.2	15200	7.69	8840	6.95	0.00	15.75					
N10	22-Mar-18	Surface		18X322796	18X322795	0.010	0.013	0.73			56	<0.05	<0.03	0.5	<0.5	0.5		0.009	4.3	4.1	3	6.9	1390	7.35	782	0.69	0.00	16.22					
N10	22-Mar-18	Halocline		18X322796	18X322795	0.011	0.012	0.76			168	<0.05	0.04	0.6	<1.0	<1.0		0.006	4.9	4.7	2	4.0	4010	7.44	2170	4.58	-0.10	15.22					
N11	22-Mar-18	Surface		18X322796	18X322795	<MDL	0.010	0.64			335	<0.05	<0.03	0.6	<5	<5		0.007	5.1	4.9	2	1.5	7770	7.57	4370	4.13	-0.20	15.53					
N11	22-Mar-18	Halocline		18X322796	18X322795	<MDL	0.010	0.41			1210	<0.05	<0.03	0.6	<10	<10		0.016	1.9	2.0	2	2.3	25200	7.79	16200	8.45	-0.30	13.61					
N12	22-Mar-18	Surface		18X322796	18X322795	<MDL	0.010	0.70			306	<0.05	0.03	0.6	<5	<5		0.008	4.8	4.6	1	2.1	6930	7.59	4020	3.65	-0.20	16.01					
N12	22-Mar-18	Halocline		18X322796	18X322795	<MDL	<MDL	0.60			525	<0.05	0.04	0.5	<5	<5		0.008	2.7	2.9	<1	1.1	11900	7.68	7020	6.76	-0.40	15.31					
N13	22-Mar-18	Surface		18X322796	18X322795	<MDL	<MDL	0.33			2080	<0.05	0.03	<0.4	<10	<10		0.022	0.8	0.8	4	2.5	40600	7.91	27400	25.49	-1.30	12.92					